

# DEWALT®

## ONSITE

NEWS & PROMOTIONS

APRIL / AUGUST 2019



www.DEWALT.com

**GUARANTEED TOUGH.®**



DENNIS HASTIE IS...

# GUARANTEED TOUGH.

Freedom has been a theme of Dennis's life. Growing up in New Jersey he saw the Statue of Liberty every day and Liberty Island was his playground. So as site Superintendent for the Liberty Museum Project he feels a sense of local pride - and real responsibility, because he knows the world is watching and the pressure to deliver is on.

While mains power isn't a reliable option on the job site, Dennis and his team know they can still get the job done. They know they can rely on the DEWALT XR FLEXVOLT range to give them the power of corded with the freedom of cordless.

**"THE AMOUNT OF POWER  
THEY HAVE IS JUST  
AMAZING."**

- DENNIS HASTIE





Whether they are using the 54V XR FLEXVOLT Cut Off Saw to cut paving, the 54V XR FLEXVOLT SDS-Max Hammer Drill to drill anchor points, or any of the tools from the XR FLEXVOLT range, they get guaranteed performance from tools that are tough, tried and true. All powered by a 54V battery that can switch from 54V to 18V tools, making it compatible with their existing 18V XR range.

The DEWALT XR FLEXVOLT range keeps Dennis free. Free to work without constraint. Free to swap out tools in seconds. Free to do the best job possible on a project that means everything to him.




## PRODUCTS USED ONSITE



\* Bare unit DCV586MN

### 54V XR FLEXVOLT M-CLASS EXTRACTOR **DCV586M**



\* Bare unit DCH733N

### 54V XR FLEXVOLT 48MM SDS-MAX HAMMER DRILL **DCH733**



\* Bare unit DCS690N

### 54V XR FLEXVOLT CUT OFF SAW **DCS690**

**GUARANTEED TOUGH.®**



# THE WAIT IS OVER

Our new cordless, brushless router and sander are here. The latest additions to our expanding range of 140+ 18V XR brushless tools, giving carpenters the power and freedom to work without cords on the toughest job sites.



**NEW**

## 18V XR BRUSHLESS 1/4" (8MM) ROUTER DCW604

The DCW604 cordless router is powered by a brushless motor for enhanced runtime and performance and is compatible with all 18V XR batteries.

It has a unique adjustment to make sure the guide bush is concentric with the spindle for accuracy when using

a template. Featuring variable speed control and supplied with fixed base and plunge bases with fine height adjustment for the ultimate versatility in applications. Dual LED lights built into the aluminium housing provide superior bit visibility.

### DCW604NT

Collet size	8 mm (1/4")
Max. cutter diameter	30 mm
No load speed	16000 - 25500 rpm
Plunge stroke	55 mm
Weight	2.4 kg



**NEW**

## 18V XR BRUSHLESS SANDER DCW210

Our 18V XR brushless 125 mm random orbital sander is lightweight and ergonomically designed and provides you with power and runtime. A 2.6 mm orbit and variable speed control provides a high surface finish in all applications. Use the included dust bag or switch to an extractor with the AirLock compatible outlet.



### DCW210N

Orbits per minute	8000 - 12000 opm
Orbit size	2.6 mm
Paper size	125 mm
Weight (incl. battery)	0.93 kg

### EASY PLACEMENT

The open structure of the grid lines eliminates the need for precise positioning.

### LONGER DURABILITY

Up to 4x longer life compared to DEWALT standard abrasive papers by better


removal of the sanding dust.

### UP TO 25% BETTER SANDING RESULTS

The open weave structure enables a more effective removal of sanding dust. This results in a finer sanding pattern.

## EXTREME ABRASIVE MESH

HOOK AND LOOP





18V **XR**

**140+**  
PRODUCTS  
OUR  
FASTEST GROWING  
SYSTEM

**XR**

DEWALT recognises that quality starts within the hands of woodworkers and their tools. Our commitment to quality begins with including woodworkers in the new product development process. We continue to evolve our process to provide you with power tools that offer solutions through innovative features that focus on performance and productivity.

**5**  
AH

### 18V **XR** BRUSHLESS JIGSAWS **DCS334** / **DCS335**

#### **DCS334P2\*** / **DCS335N\***

Max. cutting capacity (wood)	135 mm
Max. cutting capacity (aluminium)	25 mm
No load speed	0 - 3200 spm
Bevel capacity	45°
Weight	2.1 kg

\* Bare unit DCS334N

**5**  
AH

### 18V **XR** BRUSHLESS PLANER **DCP580**

#### **DCP580P2\***

Max. depth of cut	2 mm
Max. rebating depth	9 mm
No load speed	15000 rpm
Blade size	82 mm
Weight (excl. battery)	2.5 kg

\* Bare unit DCP580N

**NEW**

### 18V **XR** BRUSHLESS CIRCULAR SAW **DCS570**

#### **DCS570P2\***

Max. depth of cut	64 mm
Blade diameter / bore	184 mm / 16 mm
Bevel capacity	57°
No load speed	5500 rpm
Weight	3.6 kg

\* Bare unit DCS570N

**5**  
AH

### 18V **XR** BRUSHLESS OSCILLATING TOOL **DCS355**

#### **DCS355D2/M2\***

Oscillations per minute	0 - 20000 opm
Tool free accessory change	Yes
Accessory kit	35 pieces
Switch	Variable dual grip
Weight	1.1 kg

\* Bare unit DCS355N

**2**  
AH

**4**  
AH

**2**  
AH

### 18V **XR** BRUSHLESS SECOND FIX NAILER **DCN660**

#### **DCN660D2\***

Nail diameter	16 gauge (1.6 mm)
Nail size	32 - 63 mm
Magazine capacity	110
Magazine angle	20°
Weight	2.6 kg

\* Bare unit DCN660N

**4**  
AH

### 18V **XR** MITRE SAW **DCS365**

#### **DCS365M2\***

Max. depth of cut	250 x 50 mm
Blade diameter / bore	184 mm / 16 mm
Bevel capacity	48°
Max blade speed	3750 rpm
Weight	10.5 kg

\* Bare unit DCS365N



# XR® 4 PORT FAST CHARGER

**NEW**

**DCB104**



A fast charger that charges up to four 10.8V, 12V XR, 18V XR and XR FLEXVOLT batteries at the same time. This fast charger quickly charges a 5Ah 18V XR battery in 50 minutes, and a 9Ah XR FLEXVOLT battery in 75 minutes. It is also ToughSystem compatible or wall mountable and is designed to fit our Tool Connect Tag.





**18V****XR**  
BRUSHLESS**5**  
AH

POWER OUTPUT



IMPACT ENERGY



HAND / ARM VIBRATION



DRILLING DIAMETER

## 18V XR BRUSHLESS 24MM 4KG SDS-PLUS HAMMER DCH283P2\*

The DCH283 delivers category-leading performance. This high power hammer features rotation stop-mode for light chiselling in plaster, tiles and render as well as impact stop-mode for rotary only drilling in wood and metal.

Ideal for drilling anchors and fixing holes into concrete, brick and masonry from 4mm to 26mm. Compact, lightweight and ergonomic design for improved comfort and support during extended use.

\* Bare unit DCH283N

**NEW**

18V



2.8 J

8.5 m/s<sup>2</sup>

26 mm

## DUST EXTRACTION SOLUTIONS

DRILLING DUST EXTRACTION  
SYSTEM & HOLE  
CLEANING  
DWH050



CHISELLING DUST  
EXTRACTION  
SYSTEM  
DWH051



DEMOLITION  
HAMMER DUST  
EXTRACTION DWH052

**18V****XR**  
BRUSHLESS**4**  
AH

## 18V XR BRUSHLESS COMPACT TWIN PACK (DCD709 + DCF809) DCK2062M2T

### DCD709

Max. torque	65 Nm
No load speed	0 - 450 / 0 - 1650 rpm
Beats per minute	0-7650 / 0-28050 bpm
Max. drilling capacity (wood)	30 mm
Max. drilling capacity (masonry)	13 mm
Weight	1.2 kg

**NEW**

### DCF809

Max. torque	190 Nm
No load speed	0 - 2800 rpm
Impacts per minute	0 - 3200 ipm
Bit holder	1/4 " (6.35 mm)
Weight	1.5 kg






## 54V XR FLEXVOLT COMPRESSOR DCC1054

The new XR FLEXVOLT compressor allows you to take pneumatic nailing, anywhere. Ideal for finishing, cabinet and furniture building, framing and 2nd fix nailing, the DCC1054 is a true cordless pneumatic solution.



### DCC1054

Tank size	10 L
Max. tank storage pressure	9.3 Bar
Free air delivery	31 L/min @ 7 Bar
Runtime	Up to 1220 nails (18GA Brad)

**18V XR 2 AH**  
BRUSHLESS


## 18V XR ELECTRICIAN'S STAPLER DCN701

The DCN701 18V XR allows electrical contractors to secure cables on the jobsite faster and more consistently.

The tool automatically adjusts depth of drive based on cable thickness and fits snugly without pinching. A compact size of 200mm allows the user to work between joists and a built in LED light illuminates the working area when power isn't available.



### DCN701D2

Staple diameter	19 mm Crown
Staple size	25 mm
Magazine capacity	35
Magazine angle	0°
Weight	2.1 kg

\* Bare unit DCN701N

### ELECTRICIAN'S STAPLES\*

CAT.NO.	PRODUCT DESCRIPTION	PACK QTY.
DRS18100-XJ	25 x 19 mm Insulated Crown Staples (1.0 - 2.3 mm)	540

\* Proprietary staple, patented.



# XR<sup>®</sup> ROTARY LASERS



18V **XR** BRUSHLESS 2 AH

Fully automatic Self Levelling 360° Rotary Laser projects bright beam either horizontally or vertically.

Durable design with IP rating makes them ideal for outdoor applications. The single slope mode allows users to set grade, with manual RPM, easy to use controls and long range visibility.



GREEN



## DCE079D1G - GREEN BEAM

Visibility range	80 m
Visibility with detector (supplied)	600 m
Compensation range	± 5°
IP rating	IP67
Pulse mode	Yes
Tripod mounting thread	5/8"
Drop test	2 m
Battery	2.0 Ah / 18V Lithium-ion



RED



## DCE074D1R - RED BEAM

Visibility range	45 m
Visibility with detector (supplied)	450 m
Compensation range	± 5°
IP rating	IP54
Pulse mode	Yes
Tripod mounting thread	5/8"
Drop test	2 m
Battery	2.0 Ah / 18V Lithium-ion





# COMING SOON!

DEWALT is launching a complete new range of 12V XR brushless tools that offer some of the most compact, lightweight tools we have ever made with all the performance the end user needs to get the job done.

12V **XR**  
BRUSHLESS



**NEW**

10.8V **XR**

12V **XR**



12V XR tools and batteries are **FULLY COMPATIBLE** with the **EXISTING DEWALT 10.8V** range of tools, batteries and chargers.



## 12V **XR** BRUSHLESS SUB-COMPACT DRILL DRIVER **DCD701**

### DCD701

Max. torque	57.5 Nm
Max drilling capacity (wood)	20 mm
No load speed	0 – 1500 rpm
Weight	0.9 kg



## 12V **XR** BRUSHLESS SUB-COMPACT IMPACT DRIVER **DCF801**

### DCF801

Max. torque	163 Nm
No load speed	0 – 2850 rpm
Impacts per minute	0 – 3600 ipm
Weight	0.8 kg

## 12V **XR** BRUSHLESS SUB-COMPACT SCREWDRIVER **DCF601**

### DCF601

Max. torque	8 Nm
Torque Settings	16
No load speed	0 – 1100 rpm
Weight	0.68 kg



## 12V **XR** BRUSHLESS 3" SUB-COMPACT IMPACT WRENCH **DCF902**

### DCF902

Max. torque	168 Nm
No load speed	0 – 2850 rpm
Impacts per minute	0 – 3600 ipm
Weight	0.8 kg



## 12V **XR** 3AH BATTERY **DCB124**



# TOUGHSYSTEM®



## DS150 SMALL TOOLBOX

1-70-321

550 X 336 X 158 mm

Max. load capacity 20 kg

Max. volume capacity 15.2 L



## DS300 MEDIUM TOOLBOX

1-70-322

550 X 336 X 308 mm

Max. load capacity 30 kg

Max. volume capacity 26 L



## DS400 LARGE TOOLBOX

1-70-323

550 X 336 X 406 mm

Max. load capacity 40 kg

Max. volume capacity 41.3 L



## ORGANISER

DWST1-75522

553 X 350 X 116 mm

Max. load capacity 20 kg

Max. volume capacity 9 L



## DS280 TOTE

DWST1-75654

555 X 325 X 277 mm

Max. load capacity 20 kg

Max. volume capacity 29.5 L

## DS404 COOLER

DWST1-81333

550 X 365 X 406 mm

Max. load capacity 40 kg

Max. volume capacity 25.5 L




## DS450 MOBILE STORAGE

DWST1-75668

597 X 480 X 990 mm

Max. load capacity 40 kg

Max. volume capacity 50 L



4mm Reinforced Polypropylene Plastic outer casing for high impact protection.



Rust-resistant metal latches for durability.



Heavy-duty bi-material handles provide a comfortable grip.



Boxes can be fastened together for portability or storage.



High performance seal in the lid ensures dust and water resistance.



Padlock eyes provide lockable security.





## EXTREME®

### FLEXTORQ™ SETS AND CONNECTIBLE STORAGE SOLUTIONS

The DeWalt modular storage system is easy to use with interlocking cases to keep accessories and fixings safe and organised.

The range is fully compatible with the TSTAK™ system and is available with EXTREME® FlexTorq™ screwdriver bits.

TSTAK™



### ONE SYSTEM WITH A PLACE FOR EVERYTHING

#### SMALL BULK STORAGE

Keep all your 25 mm driver bits and consumable accessories to hand.

#### SMALL TOUGHCASE™

Designed to store Small Bulk Storage cases together with new, easy access bit holders and driver extensions. Connect with other small toughcases and then stack and lock on top of the medium ToughCase™ to create a secure unit.

#### NEW MEDIUM TOUGHCASE™

New to the range, the medium ToughCase™ has been designed to store Small Bulk Storage cases alongside bits and accessories. Fully compatible with the TSTAK™ system, the case can be locked together with other medium or small toughcases.

#### TSTAK™ CADDY

Perfect for easy transportation of up to 4 Small Bulk Storage cases and 5 small ToughCase™ sets.

#### TSTAK™ SYSTEM

The proven storage system for kit Onsite, the TSTAK™ system features a comprehensive range of options with drawer units, totes, customisable tool storage and more.

#### TSTAK™ TROLLEY

Keeping your whole toolkit mobile, the TSTAK™ trolley features rugged wheels and a foldable mechanism - ideal for van or workshop.



# EXTREME®

## FLEXTORQ™ SCREWDRIVER BITS

# 50x LONGER LIFE\*

Optimised torsion zone, maximising bit life and turning force when used in extreme applications



Full fit head eliminates wobble and screw head rounding

Contoured area of the bit flexes with the torque of the impact driver

Flex optimised to transfer maximum torque through the screw and maximise life



Available in ToughCase™ dedicated sets in a range of sizes and head patterns to give you trouble free fixing and installation.



### TORSION ZONE BIT HOLDER

The torsion zone bit holder gives 25 mm bits the performance of 57 mm EXTREME® FlexTorq™. Available in the new range of Extreme® medium ToughCase™ sets.

## BITS STORAGE OPTIONS

### SMALL BULK STORAGE

The small bulk storage boxes are fully compatible with the small and medium toughcases and include a clear lid for fast bit selection.




### SMALL TOUGHCASE™

The small ToughCase™ has a clear lid for easy identification and includes a new 'twist up' bit retainers for easy bit removal. Use the locking system to connect small toughcases together and securely stack on top of the medium ToughCase™.



### MEDIUM TOUGHCASE™

The new medium Toughcase™ stores Small Bulk Storage cases alongside bits and accessories keeping everything you need secure and in one place.



### TSTAK™ CADDY DT70716-QZ

Fully compatible with the TSTAK™ system, the caddy has a built in carry handle and storage slots for up to 4 small bulk storage boxes and 5 small ToughCase™ sets.

**NEW**

\* 57mm bits only, compared to standard range.





## EXTREME®

### SELF-FEED TRI-FLUTE BITS

The new range of DEWALT tri-flute bits offers a host of design features to make laborious wood drilling a thing of the past. Its speed tip allows the bit to self-feed for ease of use and three cutting spurs ensure cleaner holes and reduced 'break out'. Combined with a tri-flute design for optimal chip removal, the bits feature three cutting edges that can boast up to 6X faster drilling compared to standard flat bits.

The Self-Feed tri-flute drill bits are designed for all types of general wood drilling and ideal for electricians, carpenters, plumbers and other professionals.

CAT. NO.	Ø MM	TOTAL LENGTH	SHANK TYPE	SHANK SIZE	PACK QTY
DT90239-QZ	13	152 mm	Hexagonal	6.35 mm	1
DT90240-QZ	16	152 mm	Hexagonal	6.35 mm	1
DT90241-QZ	20	152 mm	Hexagonal	6.35 mm	1
DT90242-QZ	22	152 mm	Hexagonal	6.35 mm	1
DT90243-QZ	25	152 mm	Hexagonal	6.35 mm	1
DT90244-QZ	28	152 mm	Hexagonal	6.35 mm	1
DT90245-QZ	32	152 mm	Hexagonal	6.35 mm	1

NEW

**6X<sup>®</sup>**  
**FASTER**

**TRI-FLUTE  
TAPERED DESIGN**  
For faster removal of  
wood chips and less binding

**FULL SCREW TIP**  
Allows bit to self-feed  
for ease of use and  
pull through

**QUICK-CHANGE HEX SHANK**  
Fits standard Quick-Change  
extensions and ¼"/6 mm hex bit  
adapters, preventing spinning

**3 CUTTING EDGES**  
Up to 6x faster cutting\*  
combined with tri-flute design  
for optimum chip removal

**CUTTING SPURS**  
Three cutting spurs for  
cleaner, faster holes and  
extended drilling life

\* Vs DEWALT® High Performance flat bits.





**EXTREME®**

## SDS-PLUS & SDS-MAX DRILL BITS

**FOR ACCURATE MECHANICAL ANCHORS INSTALLATION**

Compatible with SDS-Plus & SDS-Max hammer drills and ideal for fast drilling of anchor and plug holes in concrete, stone and masonry.

**NEW**

### SDS-PLUS 2 CUTTER DRILL BITS

#### 2-STAGE HELIX\*

Effective dust removal improves drilling performance

#### TOUGHCORE™\*

Tapered central core increases stability and durability and increases breakage resistance

#### CARBIDE TIP

Solid two cutter head flanked by two cutting tips for fast and efficient drilling

### SDS-MAX FULL HEAD CARBIDE DRILL BITS

#### WEAR MARK\*

Provides the reassurance that the holes you drill are the diameter you need - ideal for accurate mechanical anchors installation

MADE IN GERMANY



#### IRON BLAST TECHNOLOGY™

Reduces stress on the bit head and increases toughness along the flute

#### CARBIDE CUTTER

Single piece of carbide with four cutting arms, designed to minimise vibration

#### 4 FLUTE HELIX

Maximises quick debris removal allowing fast drilling and clear holes

\* Wear mark, TOUGHCORE™ and 2-stage helix are not available on all products - see distributor listing for details.



**DeWALT**



# OUR BIGGEST AND FASTEST GROWING SYSTEM



UK  
210 Bath Road, Slough, Berkshire SL1 3YD  
Telephone: 01753 567055  
Fax: 01753 572112

**www.DeWALT.com**

The yellow and black colour scheme is used on DeWALT Power Tools and Accessories as a trademark. DeWALT reserves the right to change any deal at any time without notice. Deals available while stocks last.

▲ TO SEE THE NOISE AND VIBRATION DATA VISIT [WWW.DeWALT.CO.UK/SAFETY](http://WWW.DeWALT.CO.UK/SAFETY)

Be the first to see product news and special offers from DeWALT. Register at MyDeWALT to be sent Onsite offers by email. Simply go to [www.DeWALT.com/MyDeWALT](http://www.DeWALT.com/MyDeWALT)

Your DeWALT Dealer:

REGISTER AT

**My DeWALT**