THE MULTIMASTER YOUR BEST MULTITOOL.

MULTIMASTER 300, 500 and 700.
The oscillating multitool for professionals.

FEIN.COM

FEIN

"I AM A MULTIMASTER"

FROM NOW ON, MULTITALENT, MULTIMASTER AND SUPERCUT ARE KNOWN AS **MULTIMASTER 300, 500 AND 700.**

Three models, one name: MULTIMASTER. Professionals use oscillating FEIN multitools to undertake numerous challenging jobs. And the name MULTIMASTER sums that up perfectly.

THE OSCILLATING SYSTEM	
THE ORIGINAL	4
THE FEIN OSCILLATOR PRODUCT RANGE	6
FEIN MULTIMASTER 300	8
FEIN MULTIMASTER 500	12
FEIN MULTIMASTER 700	16

FEIN GENUINE ACCESSORIES	
FEIN ACCESSORIES	20
FEIN DUSTEX SAUGER	22
SAWING ACCESSORIES	24
SANDING ACCESSORIES	32
CUTTING, DIVIDING AND RASPING	38
CUTTING AND SCRAPING	42
ACCESSORY KITS	44
GENERAL ACCESSORIES	48
THE FEIN CORDLESS WORLD	50

1000 POSSIBILITIES,
1 SYSTEM.



OUR BEST TOOL FOR PROFESSIONALS SINCE 1967.

THE ORIGINAL

More than 50 years of experience and the spirit of invention have gone into the FEIN MULTIMASTER. In 1967 we invented the oscillating power tool – and therefore the first multitool for professionals. Since then, we have continually further developed our original offering. We hold in excess of 160 patents for our multitools and more than 100 for FEIN accessories, ensuring that you can always work with ease, safety and speed.

THE RELIABLE TOOL

FEIN is synonymous with indestructible power tools; designed for maximum loading and overload – even when used continuously. The MULTIMASTER delivers impressively good reliability and a long service life. The benefits of our original tool are reflected in a very low rate of complaints and high levels of customer satisfaction.

THE QUIET TOOL

The FEIN anti-vibration system effectively reduces vibrations and allows work to run more smoothly. The housing is completely decoupled thanks to flexible damping elements. The MULTIMASTER therefore provides the very best protection.

+ **Vibration of < 5 m/s²*** for continuously safe working without further protective measures.
+ **Less operating noise**** is kind on the user and his surroundings.

* When sawing with a plunge-cut saw blade
** Sound pressure level, measured with the tool switched on at maximum speed without accessories

THE NO. 1

Be it in interior work, renovations or the automotive industry – all around the globe, professionals put their trust in the original from FEIN. Over 5 million of our oscillating power tools are already proving themselves daily in the toughest of situations. This makes the MULTIMASTER one of the world's most popular multitools and the absolute no. 1 on the market.

MADE IN GERMANY

To ensure top quality, we don't make any compromises. We produce the MULTIMASTER exclusively at our headquarters in Schwäbisch Gmünd-Bargau, Germany – in line with the most stringent quality guidelines and using the most elaborate test procedures. What's more we also produce all the saw blades for our original tool in Germany.

THE MOST POWERFUL

The oscillating principle behind the MULTIMASTER makes rapid and effective working possible. MULTIMASTER 700 is the most powerful multitool delivering optimum results in the shortest time possible.

+ **By far the largest angle of oscillation of 2 x 2°** for the fastest work progress.
+ **Brushless FEIN PowerDrive motor** for use with long accessories and tough sawing and cutting work.

THE MOST VERSATILE TOOL

To ensure that you always have the best solution for your very particular requirements, FEIN provides the largest range of multitools and the most extensive range of accessories anywhere in the world.

+ **Models in 3 performance classes, each available cordless or mains-powered,** plus 3 variants for automotive applications
+ **More than 180 accessories in all 3 Starlock performance classes** for sawing, sanding, polishing, dividing, filing, scraping, cutting and cleaning.



THE BEST MULTIMASTER FOR YOUR REQUIREMENTS.

Select the model, which fits your demands and tasks perfectly. Here we provide an overview of the most important features and differences.

MODEL
BRIEF DESCRIPTION
SPEED OF WORK
VERSIONS
BATTERY VOLTAGE / POWER CONSUMPTION
ANGLE OF OSCILLATION
ANTI-VIBRATION SYSTEM
TOOL MOUNTING
NUMBER OF FEIN ACCESSORIES AVAILABLE
INTERFACE FOR STATIONARY OPERATION
ELECTRONIC SAFETY CUT-OFF
SPECIAL APPLICATIONS

PERFORMANCE CLASS	PERFORMANCE CLASS	PERFORMANCE CLASS
MULTIMASTER 300 Plus (formerly MultiTalent)	**MULTIMASTER 500 Plus** (formerly MultiMaster)	**MULTIMASTER 700 Max** (formerly SuperCut)
Your best route into the professional class: The effective multitool for interior work and renovation.	**The benchmark amongst oscillators:** The powerful multitool for rapid work progress in interior work and renovation.	**Our best tool for the toughest requirements:** Our best multitool for the fastest work progress in interior work and renovation.
+++++	**+++**++	**+++++**
Cordless / mains-powered	Cordless / mains-powered	Cordless / mains-powered
12 V / 250 W	18 V / 350 W	18 V / 450 W
2 x 1.6°	2 x 1.7°	2 x 2.0°
• / –	• / •	• / •
StarlockPlus	StarlockPlus	StarlockMax
Approx. 100	Approx. 100	Approx. 180
–	•	•
–	–	•
–	–	Particularly deep cuts (up to 90 mm) when sawing in timber and window construction, precise and effective tile and grouting renewal thanks to appropriate special accessories.

THE SPECIALIST FOR THE AUTOMOTIVE SECTOR

The MULTIMASTER 700 Max is available in three variants, especially for the requirements of professionals working in auto glazing, automotive workshops or the cargo sector.
Applications include, for example:
+ removing glass from vehicle windscreens in the shortest time possible
+ body repairs or restorations

To find out more, please visit: www.fein-uk.co.uk/multimaster

MULTIMASTER 300.
YOUR BEST ROUTE INTO THE PROFESSIONAL CLASS.

PERFORMANCE CLASS

Our entry-level model opens up a range of applications for interior work and renovation.

The StarlockPlus tool mounting gives you access to around 100 FEIN accessories of the Starlock and StarlockPlus performance classes.

STARLOCK PLUS | STARLOCK

StarlockPlus tool mounting: More work progress and greater precision thanks to 100% power transmission without losses.

Anti-vibration system: Safe and pleasant working at all times thanks to minimum vibrations and outstanding noise insulation.

SafetyCell technology: Perfect protection against overload, overheating and total discharge thanks to Li-ion batteries with individual cell monitoring.

12 V motor: Effective and powerful motor technology for virtually the same performance as the mains-powered version.

+ **QuickIN:** Tools can be changed in less than 3 seconds using the patented tool-free FEIN rapid clamping system.

+ **Metal gearbox:** Ability to withstand high loading and outstanding service life as all gearbox parts are metal.

Industrial cable: Large working radius thanks to 5 metre rubber cable of industrial quality.

250 W FEIN motor: Motor suited to overload for more power and effective working.

MULTIMASTER 300.

All versions and variants at a glance.

VERSION	**Cordless MULTIMASTER AMM 300 Plus** (formerly cordless MultiTalent)	**MULTIMASTER MM 300 Plus** (formerly MultiTalent)
TOOL MOUNTING	**StarlockPlus***	**StarlockPlus***
TOOL CHANGE	**QuickIN**	**QuickIN**
ANTI-VIBRATION SYSTEM	•	–
VIBRATION (SAWING IN WOOD WITH PLUNGE-CUT SAW BLADE) (m/s^2)	< 5	< 7
BATTERY VOLTAGE (V)	12	–
BATTERY CAPACITY (Ah)	3–6	–
POWER CONSUMPTION (W)	–	250
OSCILLATIONS (per min)	11 500–18 000	11 500–20 000
ANGLE OF OSCILLATION	2 x 1.6°	2 x 1.6°
WEIGHT ACCORDING TO EPTA (kg)	1.2 (not including battery)	1.4
CABLE LENGTH (m)	–	5

* Suitable for Starlock and StarlockPlus accessories ** All Select tools are supplied without batteries and charger

VARIANT	Cordless MULTIMASTER AMM 300 Plus Select**	Cordless MULTIMASTER AMM 300 Plus Start
BRIEF DESCRIPTION	The effective cordless multitool for interior work and renovation with a bimetal saw blade for wood, metal and plastics.	The effective cordless multitool for interior work and renovation with basic accessories for sawing in wood, metal, plasterboard and plastics.
SCOPE OF SUPPLY	Cordless MULTIMASTER AMM 300 Plus, E-Cut universal saw blade (44 mm), plastic tool case. (Please refer to page 49 for the right battery starter set).	Cordless MULTIMASTER AMM 300 Plus, E-Cut long-life saw blade (35 mm), E-Cut long-life saw blade (65 mm), E-Cut universal saw blade (44 mm), 2 x Li-ion battery, 12 V / 3 Ah, ALG 80 rapid charger, plastic tool case
ORDER NO.:	**7 129 32 62**	**7 129 32 61**

VARIANT	MULTIMASTER MM 300 Plus Start
BRIEF DESCRIPTION	The effective multitool with basic accessories for sawing in wood, metal, plasterboard and plastics.
SCOPE OF SUPPLY	MULTIMASTER MM 300 Plus, E-Cut long-life saw blade (35 mm), E-Cut long-life saw blade (65 mm), E-Cut universal saw blade (44 mm), plastic tool case
ORDER NO.:	**7 229 72 61**

Emission values (sound/vibration) can be found at www.fein-uk.co.uk

MULTIMASTER 500. THE BENCHMARK AMONGST OSCILLATING MULTITOOLS.

PERFORMANCE CLASS

The powerful MULTIMASTER 500 allows you to make fast progress in interior work and renovations – even when tackling challenging jobs.

The StarlockPlus tool mounting gives you access to around 100 FEIN accessories of the Starlock and StarlockPlus performance classes.

STARLOCK PLUS | STARLOCK

StarlockPlus tool mounting: More work progress and greater precision thanks to 100% power transmission without losses.

18 V motor: Effective and powerful motor technology for virtually the same performance as the mains-powered version.

SafetyCell technology: Perfect protection against overload, overheating and total discharge thanks to Li-ion batteries with individual cell monitoring.

+ **QuickIN:** Tools can be changed in less than 3 seconds using the patented tool-free FEIN rapid clamping system.

+ **Anti-vibration system:** Safe and pleasant working at all times thanks to minimum vibrations and outstanding noise insulation.

+ **Tacho generator:** Constant speed, even under load, and infinitely variable electronic speed control.

+ **Mechanical interface:** For stationary operation in the table or drill jig holder or for securing the depth stop.

+ **Metal gearbox:** Ability to withstand high loading and outstanding service life as all gearbox parts are metal.

Industrial cable: Large working radius thanks to 5 metre rubber cable of industrial quality.

350 W FEIN motor: High-performance motor suited to overload for faster cutting speed and more work progress.

MULTIMASTER 500.

All versions and variants at a glance.

VERSION	**Cordless MULTIMASTER AMM 500 Plus** (formerly cordless MultiMaster)	**MULTIMASTER MM 500 Plus** (formerly MultiMaster)
TOOL MOUNTING	**StarlockPlus***	**StarlockPlus***
TOOL CHANGE	**QuickIN**	**QuickIN**
ANTI-VIBRATION SYSTEM	•	•
VIBRATION (SAWING IN WOOD WITH PLUNGE-CUT SAW BLADE) (m/s^2)	< 5	< 5
TACHO GENERATOR	•	•
BATTERY VOLTAGE (V)	18	–
BATTERY CAPACITY (Ah)	3–6	–
POWER CONSUMPTION (W)	–	350
OSCILLATIONS (per min)	11 000–18 500	10 000–19 500
ANGLE OF OSCILLATION	2 x 1.7°	2 x 1.7°
WEIGHT ACCORDING TO EPTA (kg)	1.3 (not including battery)	1.4
CABLE LENGTH (m)	–	5
INTERFACE FOR STATIONARY OPERATION	•	•

* Suitable for Starlock and StarlockPlus accessories ** All Select tools are supplied without batteries and charger

VARIANT	Cordless MULTIMASTER AMM 500 Plus Select**	Cordless MULTIMASTER AMM 500 Plus Top
BRIEF DESCRIPTION	The powerful cordless multitool for rapid work progress in interior work and renovation with a bimetal saw blade for wood, metal and plastics.	The powerful cordless multitool for rapid work progress in interior work and renovation with more than 30 accessories – for sawing in wood and metal, sanding, removing tiles and much more.
SCOPE OF SUPPLY	Cordless MULTIMASTER 500 Plus, E-Cut universal saw blade (44 mm), plastic tool case. (Please refer to page 49 for the right battery starter set).	Cordless MULTIMASTER 500 Plus, E-Cut long-life saw blade (10 mm), 2 x E-Cut long-life saw blade (35 mm), 2 x E-Cut long-life saw blade (65 mm), E-Cut Carbide Pro saw blade (32 mm), carbide segment saw blade (diameter 75 mm), carbide rasp (80 mm), rigid stopper knife, anti-static extraction device, perforated sanding pad (80 mm), perforated sanding sheets (5 each of grit 60, 80, 120, 180), 2 x Li-ion battery, 18 V / 3 Ah, ALG 80 rapid charger, plastic tool case
ORDER NO.:	**7 129 33 62**	**7 129 33 61**

VARIANT	MULTIMASTER MM 500 Plus	MULTIMASTER MM 500 Plus Top
BRIEF DESCRIPTION	The powerful multitool for rapid work progress in interior work and renovation with a bimetal saw blade for wood, metal and plastics.	The powerful multitool for rapid work progress in interior work and renovation with more than 30 accessories for sawing in wood and metal, sanding, removing tiles and much more.
SCOPE OF SUPPLY	MULTIMASTER 500 Plus, E-Cut universal saw blade (44 mm), plastic tool case	MULTIMASTER 500 Plus, E-Cut long-life saw blade (10 mm), 2 x E-Cut long-life saw blade (35 mm), 2 x E-Cut long-life saw blade (65 mm), E-Cut Carbide Pro saw blade (32 mm), carbide segment saw blade (diameter 75 mm), carbide rasp (80 mm), rigid stopper knife, anti-static extraction device, perforated sanding pad (80 mm), perforated sanding sheets (5 each of grit 60, 80, 120, 180), plastic tool case
ORDER NO.:	**7 229 67 62**	**7 229 67 61**

Emission values (sound/vibration) can be found at www.fein-uk.co.uk

MULTIMASTER 700. OUR BEST TOOL FOR THE TOUGHEST REQUIREMENTS.

PERFORMANCE CLASS

The MULTIMASTER 700 is our best multitool for the fastest work progress even in challenging applications – with the most powerful motors and by far the largest angle of oscillation of 2 x 2°.

With this tool, you can quickly and precisely make cuts of up to 90 mm, effectively renovate deep expansion joints, effortlessly cut out even tough epoxy and cement joints or smooth tile adhesive in the best possible time.

STARLOCK MAX | STARLOCK PLUS | STARLOCK

StarlockMax tool mounting: Maximum versatility through access to the complete range of more than 180 FEIN accessory parts from the Starlock, StarlockPlus and StarlockMax performance classes and more work progress thanks to 100 % power transmission.

SafetyCell technology: Perfect protection against overload, overheating and total discharge thanks to Li-ion batteries with individual cell monitoring.

18 V FEIN PowerDrive motor: Particularly powerful and almost wear-free, brushless motor with high efficiency, ability to handle extreme loads and long lifetime.

+ **QuickIN:** Tools can be changed in less than 3 seconds using the patented tool-free FEIN rapid clamping system.
+ **Anti-vibration system:** Safe and pleasant working at all times thanks to minimum vibrations and outstanding noise insulation.
+ **Tacho generator:** Constant speed, even under load, and infinitely variable electronic speed control.
+ **Mechanical interface:** For stationary operation in the table or drill jig holder or for securing the depth stop.
+ **Metal gearbox:** Ability to withstand high loading and outstanding service life as all gearbox parts are metal.
+ **Electronic safety cut-off:** Protects users should e.g. the saw blade jam in hardwood.

450 W FEIN high-power motor: High-power motor suited to continuous use and overload for outstanding cutting speed and the fastest work progress.

Industrial cable: Large working radius thanks to 5 metre rubber cable of industrial quality.

MULTIMASTER 700.

All versions and variants at a glance.

VERSION	**Cordless MULTIMASTER AMM 700 Max** (formerly cordless SuperCut)	**MULTIMASTER MM 700 Max** (formerly SuperCut)
TOOL MOUNTING	**StarlockMax***	**StarlockMax***
TOOL CHANGE	**QuickIN**	**QuickIN**
ANTI-VIBRATION SYSTEM	•	•
VIBRATION (SAWING IN WOOD WITH PLUNGE-CUT SAW BLADE) (m/s2)	< 5	< 5
TACHO GENERATOR	•	•
BATTERY VOLTAGE (V)	18***	–
BATTERY CAPACITY (Ah)	3–6	–
POWER CONSUMPTION (W)	–	450
OSCILLATIONS (per min)	10 000–19 500	10 000–19 500
ANGLE OF OSCILLATION	2 x 2.0°	2 x 2.0°
WEIGHT ACCORDING TO EPTA (kg)	1.6 (not including battery)	1.6
CABLE LENGTH (m)	–	5
INTERFACE FOR STATIONARY OPERATION	•	•
RESONANCE SAFETY CUT-OFF	•	•

* Suitable for Starlock, StarlockPlus and StarlockMax accessories ** All Select tools are supplied without batteries and charger
*** MultiVolt interface suitable for 12 V and 18 V batteries

VARIANT	Cordless MULTIMASTER AMM 700 Max Select**	Cordless MULTIMASTER AMM 700 Max Top
BRIEF DESCRIPTION	The most powerful FEIN cordless multitool for interior work and renovation with a bimetal saw blade for wood, metal and plastics.	The most powerful FEIN cordless multitool for the most rapid work progress in interior work and renovation with 60 accessories – from sawing in wood, metal and plastics, to cutting out tiles, cutting silicone joints and carpets, removing adhesive residues and tile adhesive.
SCOPE OF SUPPLY	Cordless MULTIMASTER 700 Max, E-Cut universal saw blade (44 mm), plastic tool case. (Please refer to page 49 for the right battery starter set).	MULTIMASTER 700 Max, 2 x E-Cut standard saw blade curved (35 mm), 2 x E-Cut standard saw blade curved (65 mm), E-Cut precision saw blade (35 mm), E-Cut precision saw blade (65 mm), E-Cut long-life saw blade (10 mm), 2 x E-Cut long-life saw blade (35 mm), E-Cut long-life saw blade (32 mm), E-Cut long-life saw blade (42 mm), E-Cut Carbide Pro saw blade (32 mm), segmented saw blade (D85), segmented carbide saw blade (diameter 75 mm), carbide-coated triangular rasp, rigid stopper knife, mushroom-shaped cutter blade, multi-function knife, perforated sanding pad, perforated sanding sheets (10 each of grit 60, 80, 120, 180), extraction device, ALG 80 rapid charger, 2 x Li-ion battery packs (18 V / 3 Ah), plastic tool case
ORDER NO.:	**7 129 34 62**	**7 129 34 61**

VARIANT	MULTIMASTER MM 700 Max	MULTIMASTER MM 700 Max Top
BRIEF DESCRIPTION	The most powerful FEIN multitool for the fastest work progress in interior work and renovation with a bimetal saw blade for wood, metal and plastics.	The most powerful FEIN multitool for the most rapid work progress in interior work and renovation with 60 accessories – from sawing in wood, metal and plastics, to cutting out tiles, cutting silicone joints and carpets, removing adhesive residues and tile adhesive.
SCOPE OF SUPPLY	MULTIMASTER 700 Max, E-Cut universal saw blade (44 mm), plastic tool case	MULTIMASTER 700 Max, 2 x E-Cut standard saw blade curved (35 mm), 2 x E-Cut standard saw blade curved (65 mm), E-Cut precision saw blade (35 mm), E-Cut precision saw blade (65 m), 2 x E-Cut standard saw blade curved (35 mm), 2 x E-Cut standard saw blade curved (65 mm), E-Cut precision saw blade (35 mm), E-Cut precision saw blade (65 mm), E-Cut long-life saw blade (10 mm), 2 x E-Cut long-life saw blade (35 mm), E-Cut long-life saw blade (32 mm), E-Cut long-life saw blade (42 mm), E-Cut Carbide Pro saw blade (32 mm), segmented saw blade (D85), segmented carbide saw blade (diameter 75 mm), carbide-coated triangular rasp, rigid stopper knife, mushroom-shaped cutter blade, multi-function knife, perforated sanding pad, perforated sanding sheets (10 each of grit 60, 80, 120, 180), extraction device, plastic tool case
ORDER NO.:	**7 229 68 62**	**7 229 68 61**

Emission values (sound/vibration) can be found at www.fein-uk.co.uk

MORE THAN 180 ACCESSORIES FOR YOUR APPLICATIONS.

For more than 50 years, the range of FEIN accessories for our multitools has grown to meet your changing requirements.

FEIN BENEFITS

+ More than 180 different accessories for thousands of professional and special applications.

+ 14 accessory kits – perfectly put together for varied applications.

+ Made by FEIN: Each accessory is developed and checked by FEIN.

+ Made in Germany: All FEIN saw blades are produced in Germany.

+ Outstanding cost-effectiveness thanks to fast work progress and a long service life.

TOOL CHANGES IN THE **BEST POSSIBLE TIME.**

The innovative tool mounting standard for the FEIN MULTIMASTER allows you to change tools safely and conveniently in less than **3 seconds.**

To release, open clamping lever ...

... eject accessory and close clamping lever ...

... simply position accessory in the Starlock mounting and click into place. Done.

FEIN BENEFITS

+ Greater work progress as the accessories fit perfectly and offer power transmission without any losses.
+ Significantly better precision and results thanks to the rigid stainless steel 3D form.
+ Compatible with all former FEIN oscillating multitools and selected multitools of other brands.
+ Protect your multitool from overload and damage.

Select the Starlock accessories to suit your tool:



STARLOCK

Suitable for all FEIN multitools and all other common multitools with Starlock mounting.



STARLOCK PLUS

Suitable for all FEIN multitools and all other common multitools with StarlockPlus and StarlockMax mounting.

STARLOCK MAX

Suitable for FEIN multitools with StarlockMax mounting and all other common multitools with StarlockMax mounting.

The FEIN multitool accessory finder. To find the right accessory for your multitool and special task with ease, visit www.fein-uk.co.uk/OMTSelector

FEIN DUSTEX

The FEIN Dustex extractors allow you to keep the air and your surroundings clean and free from dust as you work. These all-rounders don't just extract dirt but can easily handle liquids too.

Compact class
The compact extractors are small, light and powerful. They form the basis for effective dust extraction and a clean, uncontaminated workplace.
+ High degree of effectiveness
+ Ease of handling
+ Extreme agility

Premium class
The tested filter systems capture even very fine dust which is harmful to health. Automatic filter cleaning makes for long filter lives and therefore non-stop working.
+ Proven filter technology
+ Very high suction power
+ Incredibly simple handling

VARIANT	EXTRACTION SET
BRIEF DESCRIPTION	For effective removal of dust combined with maximum flexibility. Permanent connection to the tool for a secure hold in all work situations. Suction hose can be rotated freely on the tool so it can be adapted perfectly to the work situation. Antistatic – in combination with FEIN Dustex dust extractors and anti-static suction hose (optional). Standard hose connection diameter of 35 mm.
SCOPE OF SUPPLY	1 extraction unit, 2 perforated sanding pads (edge length 80 mm) corundum sanding sheets, perforated (5 each of grit 60, 80 and 120).
ORDER NO.:	**9 26 02 102 00 0**

RELIABLE **DUST-FREE WORKING.**

	COMPACT CLASS				PREMIUM CLASS			
VARIANT	**DUSTEX 25 L**	**DUSTEX 25 L SET**	**DUSTEX 35 L**	**DUSTEX 35 L SET**	**DUSTEX 35 LX**	**DUSTEX 35 LX AC**	**DUSTEX 35 MX**	**DUSTEX 35 MX AC**
FULLY AUTOM. FILTER CLEANING	–	–	–	–	–	•	–	•
WEIGHT ACCORDING (TO EPTA)	8.0 kg	8.0 kg	9.5 kg	9.5 kg	13.5 kg	14.1 kg	13.5 kg	14.1 kg
MAX. RATED OUTPUT	1380 W	1380 W	1380 W	1380 W	1380 W	1380 W	1380 W	1380 W
AIR FLOW RATE (AT BLOWER)	4320 l/min	4320 l/min	4320 l/min	4320 l/min	4320 l/min	4320 l/min	4320 l/min	4320 l/min
VACUUM	253 mbar	253 mbar	253 mbar	253 mbar	254 mbar	254 mbar	254 mbar	254 mbar
TANK CAPACITY	22 l	22 l	35 l	35 l	35 l	35 l	35 l	35 l
SOUND PRESSURE LEVEL	67 dB (A)	67 dB (A)	67 dB (A)	67 dB (A)	69 dB (A)	69 dB (A)	69 dB (A)	69 dB (A)
SCOPE OF SUPPLY	4 m suction hose, diameter 35 mm, tool collar with suction force regulation, fleece filter bag, cellulose flat fold filter	4 m suction hose, diameter 35 mm, tool collar with suction force regulation, fleece filter bag, cellulose flat fold filter, 2 x suction pipe (metal version), combi nozzle with interchangeable inserts, crevice nozzle, suction brush, elbow	4 m suction hose, diameter 35 mm, tool collar with suction force regulation, fleece filter bag, cellulose flat fold filter	4 m suction hose, diameter 35 mm, tool collar with suction force regulation, fleece filter bag, cellulose flat fold filter, 2 x suction pipe (metal version), combi nozzle with interchangeable inserts, crevice nozzle, suction brush, elbow	Push bar, PES flat fold filter, tool collar with suction force regulation, stepped collar, elbow, 2 x suction pipe, combi nozzle with interchangeable inserts, crevice nozzle, suction brush			
					Premium fleece filter bag, 4 m suction hose, diameter 35 mm	Disposal bag, 4 m suction hose, diameter 35 mm	Premium fleece filter bag, 4 m ES suction hose, diameter 35 mm	Disposal bag, 4 m ES suction hose, diameter 35 mm
ORDER NO.:	**9 20 35 223**	**9 20 35 060**	**9 20 36 223**	**9 20 36 060**	**9 20 29 060**	**9 20 30 060**	**9 20 31 060**	**9 20 32 060**

Comprehensive range of accessories for FEIN Dustex dust extractors are available at www.fein-uk.co.uk

In accordance with EN 60335-2-69, harmless dusts, such as household dust, gypsum or sand, are classified as dust class L. They have a workplace exposure limit (WEL) of > 1 mg/m³. For dust extractors of dust class L, the filter material is checked and there are no disposal requirements. The filter used may have a maximum permeability of ≤ 1.0%.

In accordance with EN 60335-2-69, dust class M includes e.g. dusts from timber (beech, oak), paint, ceramics, putty, filler, cement, concrete, tile adhesive, but also latex and oil-based paints or materials containing quartz. These materials have a workplace exposure limit of ≥ 0.1 mg/m³, so the entire device is checked. Because class M dusts are harmful to the airways, little may escape during disposal. The filter used may have a maximum permeability of < 0.1%.

MAXIMUM CHOICE FOR SAWING.

More than 100 FEIN accessories for sawing open up unique solutions for the most challenging jobs and almost all materials.

Rigid stainless steel holders ensure excellent smooth running and precise results.

LIMITLESS SAWING – WITH THE LARGEST CHOICE OF SHAPES, SIZES AND QUALITIES.

E-Cut saw blades for virtually all materials.

Saw flush with the surface.

Working angle can be set to 12 positions for sawing in tight spots.

Plunge into solid material with ease.

No space needed behind the workpiece.

Tiny cut-outs starting from 10 mm.

No risk of glass breakages thanks to oscillating motion.

Exact working on the edge even with depth stop.

Stationary use in a drill jig.

Can also be used for hardened metals, such as steel nails, Spax screws or high-strength machine screws.

Perfectly put together accessory kits offering attractive savings over buying each item individually can be found on page 46 onwards.

FEIN ACCESSORIES **FOR SAWING.**

The right FEIN E-Cut quality for your requirements.

The "E" in FEIN E-Cut stands for "Easy" as the saw blades make simple and speedy plunge cuts possible – even in tight spots and hard-to-reach places, such as close to the floor or at edges.

E-CUT STANDARD SAW BLADE

Set teeth for all wood, plasterboard and plastic materials, high cutting quality and speed.

E-CUT STANDARD SAW BLADE CURVED

Set teeth for all wood, plasterboard and plastic materials, high cutting quality and speed. Curved cutting geometry for optimum plunging and clean, precise cut edges.

E-CUT LONG-LIFE SAW BLADE

Bimetal with set HSS wood teeth for all wood, plasterboard and plastic materials. Outstanding tool life, high cutting quality and speed. Extremely robust, also resilient to nails in wood, masonry etc.

E-CUT PRECISION SAW BLADE

Double-row Japan teeth for all wooden materials, plasterboard and soft plastics. Outstanding work progress and maximum precision.

E-CUT PRECISION BIM SAW BLADE

Bimetal with double-row HSS Japan teeth for all wooden materials, plasterboard and soft plastics. Improved tool life and robustness. Outstanding work progress and maximum precision.

E-CUT UNIVERSAL SAW BLADE

Bimetal with corrugated HSS universal teeth. Wide range of applications for sheet metal up to 2 mm, aluminium profiles, copper pipes, wood, plasterboard and plastics.

E-CUT FINE SAW BLADE

Bimetal with fine HSS teeth for sheet metal up to 2 mm, aluminium profiles, copper pipes. Also for fibreglass-reinforced plastic and other hard plastics. Extremely precise cuts which are very easy to control with particularly thin cutting line.

E-CUT CARBIDE PRO

Extremely wear-resistant carbide teeth for hard metals, such as hardened screws (Spax) and high-strength machine screws. Also for abrasive materials such as brick, masonry, fibre cement boards, laminate and fibre-reinforced plastic/carbon fibre-reinforced plastic.

SAWING

E-CUT LONG-LIFE SAW BLADE
Bimetal with set wood teeth for all wood, plasterboard and plastic materials. Outstanding tool life, high cutting quality and speed. Extremely robust, not affected by nails (up to diameter of approx. 4 mm) in wood, masonry etc.
Short, very narrow shape for the smallest of recesses.

Width mm	Length mm	Mount	No. in pack pcs	Part number
10	30	SL	1	6 35 02 184 21 0
10	30	SL	3	6 35 02 184 22 0
10	30	SL	5	6 35 02 184 23 0
10	30	SL	10	6 35 02 184 24 0
10	30	SL	50	6 35 02 184 25 0

Short, very narrow shape for the smallest of recesses.

Width mm	Length mm	Mount	No. in pack pcs	Part number
20	34	SL	1	6 35 02 183 21 0
20	34	SL	3	6 35 02 183 22 0
20	34	SL	5	6 35 02 183 23 0
20	34	SL	10	6 35 02 183 24 0
20	34	SL	50	6 35 02 183 25 0

Medium width, with waist for optimum cutting speed and good swarf removal.

Width mm	Length mm	Mount	No. in pack pcs	Part number
35	50	SL	1	6 35 02 160 21 0
35	50	SL	3	6 35 02 160 22 0
35	50	SL	5	6 35 02 160 23 0
35	50	SL	10	6 35 02 160 24 0
35	50	SL	50	6 35 02 160 25 0

Wide shape for maximum cutting performance and long, straight cuts.

Width mm	Length mm	Mount	No. in pack pcs	Part number
50	50	SL	1	6 35 02 221 21 0
50	50	SL	3	6 35 02 221 22 0
50	50	SL	5	6 35 02 221 23 0
50	50	SL	10	6 35 02 221 24 0
50	50	SL	50	6 35 02 221 25 0

Wide shape for maximum cutting performance and long, straight cuts.

Width mm	Length mm	Mount	No. in pack pcs	Part number
65	50	SL	1	6 35 02 228 21 0
65	50	SL	3	6 35 02 228 22 0
65	50	SL	5	6 35 02 228 23 0
65	50	SL	10	6 35 02 228 24 0
65	50	SL	50	6 35 02 228 25 0

Extra wide shape for maximum cutting performance and long, straight cuts.

Width mm	Length mm	Mount	No. in pack pcs	Part number
65	50	SLP	1	6 35 02 161 21 0
65	50	SLP	3	6 35 02 161 22 0
65	50	SLP	5	6 35 02 161 23 0
65	50	SLP	10	6 35 02 161 24 0
65	50	SLP	50	6 35 02 161 25 0

Long, narrow shape for large plunge depths. With waist for optimum cutting speed and good swarf removal.

Width mm	Length mm	Mount	No. in pack pcs	Part number
32	78	SLM	1	6 35 02 201 21 0
32	78	SLM	3	6 35 02 201 22 0
32	78	SLM	5	6 35 02 201 23 0
32	78	SLM	10	6 35 02 201 24 0
32	78	SLM	50	6 35 02 201 25 0

Long, wide shape for large plunge depths and effective working. With waist for optimum cutting speed and good swarf removal.

Width mm	Length mm	Mount	No. in pack pcs	Part number
42	78	SLM	1	6 35 02 203 21 0
42	78	SLM	3	6 35 02 203 22 0
42	78	SLM	5	6 35 02 203 23 0
42	78	SLM	10	6 35 02 203 24 0
42	78	SLM	50	6 35 02 203 25 0

XXL length for very large plunge depths and special application solutions, such as replacing windows. With waist for optimum cutting speed and good swarf removal.

Width mm	Length mm	Mount	No. in pack pcs	Part number
32	90	SLM	1	6 35 02 224 21 0
32	90	SLM	3	6 35 02 224 22 0
32	90	SLM	5	6 35 02 224 23 0
32	90	SLM	10	6 35 02 224 24 0
32	90	SLM	50	6 35 02 224 25 0

E-CUT STANDARD SAW BLADE
Set teeth for all wood, plasterboard and plastic materials, high cutting quality and speed.
Medium width, with waist for optimum cutting speed and good swarf removal.

Width mm	Length mm	Mount	No. in pack pcs	Part number
35	50	SL	1	6 35 02 133 21 0
35	50	SL	3	6 35 02 133 22 0
35	50	SL	5	6 35 02 133 23 0
35	50	SL	10	6 35 02 133 24 0
35	50	SL	50	6 35 02 133 25 0

Wide shape for maximum cutting performance and long, straight cuts.

Width mm	Length mm	Mount	No. in pack pcs	Part number
65	50	SLP	1	6 35 02 134 21 0
65	50	SLP	3	6 35 02 134 22 0
65	50	SLP	5	6 35 02 134 23 0
65	50	SLP	10	6 35 02 134 24 0
65	50	SLP	50	6 35 02 134 25 0

Long, narrow shape for large plunge depths. With waist for optimum cutting speed and good swarf removal.

Width mm	Length mm	Mount	No. in pack pcs	Part number
32	78	SLM	1	6 35 02 200 21 0
32	78	SLM	3	6 35 02 200 22 0
32	78	SLM	5	6 35 02 200 23 0
32	78	SLM	10	6 35 02 200 24 0
32	78	SLM	50	6 35 02 200 25 0

The easiest way to find the right saw blade for you is to visit www.fein-uk.co.uk/OMTSelector

E-CUT STANDARD SAW BLADE
Set teeth for all wood, plasterboard and plastic materials, high cutting quality and speed.
Long, wide shape for large plunge depths and effective working. With waist for optimum cutting speed and good swarf removal.

Width mm	Length mm	Mount	No. in pack pcs	Part number
42	78	SLM	1	6 35 02 202 21 0
42	78	SLM	3	6 35 02 202 22 0
42	78	SLM	5	6 35 02 202 23 0
42	78	SLM	10	6 35 02 202 24 0
42	78	SLM	50	6 35 02 202 25 0

E-CUT STANDARD SAW BLADE CURVED
Set teeth for all wood, plasterboard and plastic materials, high cutting quality and speed. Curved cutting geometry for optimum plunging and clean precise cut edges, especially on smooth surfaces.
Narrow, with waist for optimum cutting speed and good swarf removal.

Width mm	Length mm	Mount	No. in pack pcs	Part number
35	55	SL	1	6 35 02 227 21 0
35	55	SL	3	6 35 02 227 22 0
35	55	SL	5	6 35 02 227 23 0
35	55	SL	10	6 35 02 227 24 0
35	55	SL	50	6 35 02 227 25 0

Medium width for various uses.

Width mm	Length mm	Mount	No. in pack pcs	Part number
50	50	SL	1	6 35 02 226 21 0
50	50	SL	3	6 35 02 226 22 0
50	50	SL	5	6 35 02 226 23 0
50	50	SL	10	6 35 02 226 24 0
50	50	SL	50	6 35 02 226 25 0

Wide shape for maximum cutting performance and long, straight cuts.

Width mm	Length mm	Mount	No. in pack pcs	Part number
65	50	SL	1	6 35 02 225 21 0
65	50	SL	3	6 35 02 225 22 0
65	50	SL	5	6 35 02 225 23 0
65	50	SL	10	6 35 02 225 24 0
65	50	SL	50	6 35 02 225 25 0

E-CUT PRECISION BIM SAW BLADE
Bimetal with double-row Japan teeth for all wooden materials, plasterboard and soft plastics. Improved tool life and robustness. The fastest cutting speed and maximum precision.
Narrow, with waist for optimum cutting speed and good swarf removal.

Width mm	Length mm	Mount	No. in pack pcs	Part number
35	50	SL	1	6 35 02 205 21 0
35	50	SL	3	6 35 02 205 22 0
35	50	SL	5	6 35 02 205 23 0
35	50	SL	10	6 35 02 205 24 0
35	50	SL	50	6 35 02 205 25 0

Medium width for various uses.

Width mm	Length mm	Mount	No. in pack pcs	Part number
50	50	SL	1	6 35 02 232 21 0
50	50	SL	3	6 35 02 232 22 0
50	50	SL	5	6 35 02 232 23 0
50	50	SL	10	6 35 02 232 24 0
50	50	SL	50	6 35 02 232 25 0

Extra wide shape for maximum cutting performance and long, straight cuts.

Width mm	Length mm	Mount	No. in pack pcs	Part number
65	50	SL	1	6 35 02 229 21 0
65	50	SL	3	6 35 02 229 22 0
65	50	SL	5	6 35 02 229 23 0
65	50	SL	10	6 35 02 229 24 0
65	50	SL	50	6 35 02 229 25 0

Extra wide shape for maximum cutting performance and long, straight cuts.

Width mm	Length mm	Mount	No. in pack pcs	Part number
65	50	SLP	1	6 35 02 208 21 0
65	50	SLP	3	6 35 02 208 22 0
65	50	SLP	5	6 35 02 208 23 0
65	50	SLP	10	6 35 02 208 24 0
65	50	SLP	50	6 35 02 208 25 0

E-CUT PRECISION SAW BLADE
Double-row Japan teeth for all wooden materials, plasterboard and soft plastics. The fastest cutting speed and maximum precision.
Narrow, with waist for optimum cutting speed and good swarf removal.

Width mm	Length mm	Mount	No. in pack pcs	Part number
35	50	SL	1	6 35 02 126 21 0
35	50	SL	3	6 35 02 126 22 0
35	50	SL	5	6 35 02 126 23 0
35	50	SL	10	6 35 02 126 24 0
35	50	SL	50	6 35 02 126 25 0

Medium width for various uses.

Width mm	Length mm	Mount	No. in pack pcs	Part number
50	50	SL	1	6 35 02 233 21 0
50	50	SL	3	6 35 02 233 22 0
50	50	SL	5	6 35 02 233 23 0
50	50	SL	10	6 35 02 233 24 0
50	50	SL	50	6 35 02 233 25 0

Extra wide shape for maximum cutting performance and long, straight cuts.

Width mm	Length mm	Mount	No. in pack pcs	Part number
65	50	SL	1	6 35 02 230 21 0
65	50	SL	3	6 35 02 230 22 0
65	50	SL	5	6 35 02 230 23 0
65	50	SL	10	6 35 02 230 24 0
65	50	SL	50	6 35 02 230 25 0

Extra wide shape for maximum cutting performance and long, straight cuts.

Width mm	Length mm	Mount	No. in pack pcs	Part number
65	50	SLP	1	6 35 02 127 21 0
65	50	SLP	3	6 35 02 127 22 0
65	50	SLP	5	6 35 02 127 23 0
65	50	SLP	10	6 35 02 127 24 0
65	50	SLP	50	6 35 02 127 25 0

E-CUT UNIVERSAL SAW BLADE
Bimetal with corrugated HSS universal teeth. Wide range of applications for sheet metal up to 2 mm, aluminium profiles, copper pipes, wood, plasterboard and plastics.
Narrow, with waist for optimum cutting speed and good swarf removal.

Width mm	Length mm	Mount	No. in pack pcs	Part number
28	55	SL	1	6 35 02 222 21 0
28	55	SL	3	6 35 02 222 22 0
28	55	SL	5	6 35 02 222 23 0
28	55	SL	10	6 35 02 222 24 0
28	55	SL	50	6 35 02 222 25 0

Narrow, with waist for optimum cutting speed and good swarf removal.

Width mm	Length mm	Mount	No. in pack pcs	Part number
28	60	SLP	1	6 35 02 151 21 0
28	60	SLP	3	6 35 02 151 22 0
28	60	SLP	5	6 35 02 151 23 0
28	60	SLP	10	6 35 02 151 24 0
28	60	SLP	50	6 35 02 151 25 0

Medium width, with waist for optimum cutting speed and good swarf removal.

Width mm	Length mm	Mount	No. in pack pcs	Part number
44	55	SL	1	6 35 02 223 21 0
44	55	SL	3	6 35 02 223 22 0
44	55	SL	5	6 35 02 223 23 0
44	55	SL	10	6 35 02 223 24 0
44	55	SL	50	6 35 02 223 25 0

Medium width, with waist for optimum cutting speed and good swarf removal.

Width mm	Length mm	Mount	No. in pack pcs	Part number
44	60	SLP	1	6 35 02 152 21 0
44	60	SLP	3	6 35 02 152 22 0
44	60	SLP	5	6 35 02 152 23 0
44	60	SLP	10	6 35 02 152 24 0
44	60	SLP	50	6 35 02 152 25 0

E-CUT FINE SAW BLADE
Bimetal with fine HSS teeth for sheet metal up to 2 mm, aluminium profiles, copper pipes. Also for fibreglass-reinforced plastic and other hard plastics. Extremely precise cuts which are very easy to control with particularly thin cutting line.
Narrow, with waist for optimum cutting speed and good swarf removal.

Width mm	Length mm	Mount	No. in pack pcs	Part number
30	50	SL	1	6 35 02 157 21 0
30	50	SL	3	6 35 02 157 22 0
30	50	SL	5	6 35 02 157 23 0
30	50	SL	10	6 35 02 157 24 0
30	50	SL	50	6 35 02 157 25 0

E-CUT CARBIDE PRO
TiN-coated carbide plunge-cut saw blade with extremely good resistance to wear. Lasts 100 % longer than uncoated carbide saw blades. Lasts 30 times longer than HSS saw blades. The right choice for tough materials, such as ferrous metals, stainless steel or copper pipes. Can even be used for hardened screws (Spax) and high-strength machine screws. But also ideally suited to abrasive materials, such as bricks, masonry or fibre cement boards as well as laminate, carbon fibre-reinforced plastic and fibreglass-reinforced plastic. Good cutting results and cutting quality in all timber materials, such as hardwood or chipboard.
Narrow, with waist for optimum cutting speed and good swarf removal.

Width mm	Length mm	Mount	No. in pack pcs	Part number
32	45	SL	1	6 35 02 236 21 0
32	45	SL	3	6 35 02 236 22 0
32	45	SL	5	6 35 02 236 23 0
32	45	SL	10	6 35 02 236 24 0
32	45	SL	50	6 35 02 236 25 0

Narrow, with waist for optimum cutting speed and good swarf removal.

Width mm	Length mm	Mount	No. in pack pcs	Part number
32	60	SLP	1	6 35 02 237 21 0
32	60	SLP	3	6 35 02 237 22 0
32	60	SLP	5	6 35 02 237 23 0
32	60	SLP	10	6 35 02 237 24 0
32	60	SLP	50	6 35 02 237 25 0

Narrow, with waist for optimum cutting speed and good swarf removal.

Width mm	Length mm	Mount	No. in pack pcs	Part number
32	75	SLM	1	6 35 02 238 21 0
32	75	SLM	3	6 35 02 238 22 0
32	75	SLM	5	6 35 02 238 23 0
32	75	SLM	10	6 35 02 238 24 0

SAW BLADE
For all soft materials.
Segmented, ideal for working in corners and on edges without overcutting.

Ø mm	Mount	Part number
85	SL	6 35 02 113 21 0

HSS SAW BLADE
Solid HSS saw blade with metal teeth for sheet metal up to approx. 1 mm. Also for plastics, fibreglass-reinforced plastic, wood, putty and copper/copper alloys. Outstanding cutting speed. Clean, thin cutting line.
Circular shape delivers good cost-effectiveness.

Ø mm	Mount	No. in pack pcs	Part number
85	SL	1	6 35 02 097 21 0
85	SL	2	6 35 02 097 22 0
85	SL	5	6 35 02 097 23 0

The easiest way to find the right saw blade for you is to visit www.fein-uk.co.uk/OMTSelector

HSS SAW BLADE
Solid HSS saw blade with metal teeth for sheet metal up to approx. 1 mm. Also for plastics, fibreglass-reinforced plastic, wood, putty and copper/copper alloys. Outstanding cutting speed. Clean, thin cutting line.
Segmented, ideal for working in corners and on edges without overcutting.

Ø mm	Mount	No. in pack pcs	Part number
85	SL	1	6 35 02 106 21 0
85	SL	2	6 35 02 106 22 0
85	SL	5	6 35 02 106 23 0

HSS SAW BLADE
Bimetal for long tool life. Metal teeth for sheet metal up to approx. 1 mm. Also for plastics, fibreglass-reinforced plastic, wood, putty and copper/copper alloys. Work flush with the surface.
Circular shape delivers good cost-effectiveness.

Ø mm	Mount	No. in pack pcs	Part number
85	SL	1	6 35 02 174 21 0
85	SL	5	6 35 02 174 23 0

Circular shape and extra large diameter deliver optimum cost-effectiveness.

Ø mm	Mount	No. in pack pcs	Part number
100	SLP	1	6 35 02 175 21 0
100	SLP	5	6 35 02 175 23 0

Segmented, ideal for working in corners and on edges without overcutting.

Ø mm	Mount	No. in pack pcs	Part number
100	SL	1	6 35 02 196 21 0
100	SL	5	6 35 02 196 23 0

HSS SAW BLADE
Bimetal for long tool life. Set wood teeth. Outstanding tool life, high cutting quality and speed. As "mini circular saw", ideal for long, straight cuts and for making cut-outs in laid parquet, laminate and wall panelling.

Ø mm	Mount	No. in pack pcs	Part number
100	SLP	1	6 35 02 176 21 0

HSS SAW BLADE SET
Bimetal for long tool life. Set wood teeth. Outstanding tool life, high cutting quality and speed. As "mini circular saw", ideal for long, straight cuts and for making cut-outs in laid parquet, laminate and wall panelling. The depth stop can also be used with many other FEIN accessories. For accurate working at depth. StarlockPlus fitting, suitable for all popular multi-function tools with StarlockPlus and StarlockMax fitting and for all FEIN MultiTalent and MULTIMASTER tools up until 04/16.
Scope of supply: 1 HSS saw blade, 1 depth stop (suitable for (A)MM 500 / 700, FMM 350 QSL, AFMM 18 QSL, AFSC 18 QSL, FSC 500 QSL)

Ø mm	Mount	Part number
100	SLP	3 52 22 952 01 0

CONTACT GUARD
Spare contact guard for HSS saw blade 6 35 02 176 21 0.

Part number
3 43 00 000 00 1

DEPTH STOP
Depth stop for all saw blades. For accurate working at depth. Effective protection for blade and workpiece. Contents: 1 adapter for attachment to the machine. 1 depth stop, 1 depth-adjustable guide block.
Can only be used with (A)MM 500 / 700, (A)FMM or (A)FSC.

Part number
3 21 27 069 01 0

CARBIDE SAW BLADE
Open teeth for perfect, clean cut edges in carbon fibre-reinforced plastic/fibreglass-reinforced plastic materials without delamination. Distortion-free, long, straight cuts at high cutting speed and with precision.
Extra thin version. Cutting width approx. 1.2 mm. Segmented, ideal for working in corners and on edges without overcutting.

Ø mm	Mount	Part number
90	SLP	6 35 02 187 21 0

DIAMOND-COATED SAW BLADE
Open teeth for perfect, clean cut edges in carbon fibre-reinforced plastic/fibreglass-reinforced plastic materials without delamination. Distortion-free, long, straight cuts at high cutting speed and with precision.
Diamond coating for outstanding service life. Extra thin version. Cutting width approx. 1.2 mm. Segmented, ideal for working in corners and on edges without overcutting.

Ø mm	Mount	Part number
90	SLP	6 35 02 188 21 0
105	SLM	6 35 02 220 21 0

E-CUT CARBIDE SAW BLADE
Gentle sawing with perfect, clean cut edges in carbon fibre-reinforced plastic/fibreglass-reinforced plastic materials without delamination. Particularly well suited to precise cut-outs and short cuts. Precise working into the corners and on edges.

Width mm	Length mm	Mount	Part number
35	50	SLP	6 35 02 191 21 0

E-CUT DIAMOND SAW BLADE
Diamond coating for outstanding service life. Gentle sawing with perfect, clean cut edges in carbon fibre-reinforced plastic/fibreglass-reinforced plastic materials without delamination. Particularly well suited to precise cut-outs and short cuts. Precise working into the corners and on edges.

Width mm	Length mm	Mount	Part number
44	60	SLM	6 35 02 204 21 0
35	50	SLP	6 35 02 193 21 0

SEGMENT SAW BLADE
For cutting out putty-mounted isolation glass.

Mount	No. in pack pcs	Part number
SLM	2	6 39 03 244 22 0

BEST OF E-CUT STARLOCK WOOD & METAL
6 E-Cut plunge-cut saw blades for sawing in wood and metal. Suitable for all FEIN multitools and all other common multitools on the market. Available as a set, offering significant savings over purchasing the items individually. Content: E-Cut long-life saw blades (2 each of 50 x 35 mm, 50 x 65 mm), E-Cut universal saw blade (1 each of 55 x 28 mm, 55 x 44 mm).

Mount	Part number
SL	3 52 22 967 01 0

BEST OF E-CUT STARLOCKPLUS WOOD & METAL
6 E-Cut plunge-cut saw blades for sawing in wood and metal. Suitable for all FEIN multitools and all other common multitools with Starlock-Plus and StarlockMax mounting. Available as a set, offering significant savings over purchasing the items individually. Content: E-Cut long-life saw blades (2 each of 50 x 35 mm, 50 x 65 mm), E-Cut universal saw blade (1 each of 60 x 28 mm, 60 x 44 mm).

Mount	Part number
SLP	3 52 22 967 03 0

BEST OF E-CUT STARLOCKMAX WOOD & METAL
6 extra long E-Cut plunge-cut saw blades for large plunge depths and effective working in wood and metal. Suitable for FEIN multitools with StarlockMax mounting and all other common multitools with StarlockMax mounting. Available as a set, offering significant savings over purchasing the items individually. Content: E-Cut long-life saw blades (2 each of 78 x 32 mm, 78 x 42 mm), 2 E-Cut long-life saw blades (90 x 32 mm).

Mount	Part number
SLM	3 52 22 967 05 0

STARLOCK WOOD & METAL E-CUT COMBO
3 E-Cut plunge-cut saw blades for sawing in wood and metal. Suitable for all FEIN multitools and all other common multitools with Starlock mounting. Available as a set, offering significant savings over purchasing the items individually. Content: 2 E-Cut long-life saw blades (50 x 35 mm, 50 x 65 mm), 1 E-Cut universal saw blade (55 x 44 mm).

Mount	Part number
SL	3 52 22 967 10 0

STARLOCK WOOD E-CUT COMBO
3 E-Cut plunge-cut saw blades for precise sawing in wooden materials. Suitable for all FEIN multitools and all other common multitools with Starlock mounting. Available as a set, offering significant savings over purchasing the items individually. Content: 1 E-Cut standard saw blade, curved (50 x 50 mm), E-Cut precision BIM saw blade (1 each of 50 x 35 mm, 50 x 65 mm).

Mount	Part number
SL	3 52 22 967 08 0

STARLOCK MINI CUT COMBO
3 accessories, ideal for cutting smaller recesses and working in tight spots, e.g. for numerous installation jobs, switch installation, model-building and more. Suitable for all FEIN multitools and all other common multitools with Starlock mounting. Available as a set, offering significant savings over purchasing the items individually. Content: E-Cut long-life saw blades (2 each of 30 x 10 mm, 35 x 20 mm), 1 carbide file (30 x 10 mm).

Mount	Part number
SL	3 52 22 967 09 0

BEST OF STARLOCK RENOVATION
Accessory kit containing 26 parts for upcoming renovation work. Suitable for all FEIN multitools and all other common multitools with Starlock mounting. Available as a set, offering significant savings over purchasing the items individually. Content: 6 E-Cut long-life saw blades (2 each of 50 x 35 mm, 50 x 50 mm, 50 x 65 mm), 1 carbide rasp (80 mm), 1 carbide segment saw blade (diameter 75 mm, 2.2 mm), 1 rigid stopper knife, 1 cutter blade, (mushroom-shaped), 1 sanding pad, unperforated (80 mm), sanding sheets (5 each of grit 60, 80, 120).

Mount	Part number
SL	3 52 22 967 06 0

BEST OF STARLOCK METAL
6 saw blades, especially for machining hardened and non-hardened metals. Suitable for all FEIN multitools and all other common multitools with Starlock mounting. Available as a set, offering significant savings over purchasing the items individually. Content: 1 E-Cut CarbidePRO saw blade (45 x 32 mm), E-Cut long-life saw blades (1 each of 50 x 35 mm and 50 x 50 mm), 1 E-Cut universal saw blade (55 x 44 mm), 1 E-Cut fine saw blade (50 x 30 mm), 1 complete HSS segment saw blade (diameter 85 mm).

Mount	Part number
SL	3 52 22 967 02 0

STARLOCKMAX INTERIOR WORK PROFESSIONAL SET
Accessory kit containing 45 parts with extensive range of saw blades for fast, precise sawing in all kinds of installation work. Suitable for FEIN multitools with StarlockMax mounting and all other common multitools with StarlockMax mounting. Available as a set, offering significant savings over purchasing the items individually. Content: 8 E-Cut long-life saw blades (1 set of 34 x 20 mm, 2 each of 50 x 35 mm and 50 x 65 mm, 1 each of 78 x 32 mm and 78 x 42 mm), E-Cut precision BIM saw blade (1 each of 50 x 35 mm, 50 x 65 mm), 1 HSS circular saw blade (diameter 100 mm), 1 depth stop, 1 rigid stopper knife, long, 1 extraction device, anti-static, 1 sanding pad, perforated (80 mm), sanding sheets, perforated (10 each of grit 60, 80, 120).

Mount	Part number
SLM	3 52 22 967 12 0

STARLOCK RENOVATION COMBO
3 accessories, especially for renovation work on flooring. Suitable for all FEIN multitools and all other common multitools with Starlock mounting. Available as a set, offering significant savings over purchasing the items individually. Content: 1 carbide segment saw blade (diameter 85 mm), 1 E-Cut long-life saw blade (50 x 65 mm), 1 rigid stopper knife.

Mount	Part number
SL	3 52 22 967 11 0

The easiest way to find the right saw blade for you is to visit www.fein-uk.co.uk/OMTSelector

THE LARGEST RANGE FOR SANDING AND POLISHING.

Whether you are working on large surfaces, tiny gaps or corners and edges – FEIN accessories for sanding provide the right solution every time.

You can sand without effort and benefit from a high sanding capacity, a very good sanding pattern, little clogging and the best service life. The anti-static extraction device ensures dust-free working.

COMPREHENSIVE RANGE OF ACCESSORIES FOR ALL AREAS OF USE AND MATERIALS.

Sanding fingers for use in narrow spaces.

Sanding in corners and on edges without kickback.

The large round backing pad takes the place of extra sanders such as eccentric or random sanders.

Flat sanding pad for tight spots.

Complete window renovation – anywhere, even with the battery-powered solution.

Special papers with very fine grits are perfectly suited to touching up paint flaws and defects.

Sanding sheets with foam lamination for removing scratches from acrylic and polycarbonate, for example.

Remove scratches in vehicle paintwork with felt polishing pad and polish.

Perfectly put together accessory kits offering attractive savings over buying each item individually can be found on page 46 onwards.

GRINDING

BEST OF STARLOCK SANDING
Accessory kit containing 63 parts for sanding in corners and on edges. Suitable for all FEIN multitools and all other common multitools with Starlock mounting. Available as a set, offering significant savings over purchasing the items individually. Content: 2 sanding pads, unperforated (80 mm), 1 sanding finger, sanding sheets (10 each of grit 60, 80, 120) for sanding pad and sanding finger.

Mount	Part number
SL	3 52 22 967 04 0

SANDING PAD SET, UNPERFORATED
Standard version. Plastic carrier plate for preventing damage and marks on the workpiece.
Triangular shape, hook and loop fastening.

Edge length mm	Mount	No. in pack pcs	Part number
80	SL	2	6 38 06 129 22 0

SANDING PAD SET, FLAT
For very narrow, flat openings (e.g. slats on cupboards, window shutters). Plastic carrier plate for preventing damage and marks on the workpiece.
Triangular shape, flat version, hook and loop fastening.

Edge length mm	Mount	No. in pack pcs	Part number
80	SL	2	6 38 06 142 22 0

SUPERSOFT SANDING PAD
For special areas of application such as touching up aluminium rims and paint repairs. Plastic carrier plate for preventing damage and marks on the workpiece. Only use with "Sanding sheets, super-soft".
Triangular shape, super-soft version, hook and loop fastening.

Edge length mm	Mount	No. in pack pcs	Part number
80	SL	2	6 38 06 141 22 0

SET OF SANDING SHEETS
50 sanding sheets of various grits for the universal use of coarse to fine sanding on virtually all materials. High sanding capacity, little clogging and long service life guaranteed thanks to corundum abrasive grit and full bonding with artificial resins. Content: sanding sheets, 10 each of grit 60, 80, 120, 180 and 240, non-perforated, with hook and loop fastening. Better value than buying items separately.

Edge length mm	Part number
80	6 37 17 082 03 3

SANDING SHEETS
High sanding capacity, little clogging and long service life guaranteed thanks to corundum abrasive grit and full bonding with artificial resins. For universal use on virtually all materials. Non-perforated, hook and loop fastening.

Grain	Edge length mm	No. in pack pcs	Part number
36	80	5	6 37 17 086 04 8
40	80	5	6 37 17 081 04 6
60	80	5	6 37 17 082 04 9
80	80	5	6 37 17 083 04 3
100	80	5	6 37 17 084 04 1
120	80	5	6 37 17 085 04 5
150	80	5	6 37 17 087 04 2
180	80	5	6 37 17 088 04 0
220	80	5	6 37 17 089 04 4
240	80	5	6 37 17 090 04 6
36	80	50	6 37 17 086 01 0
40	80	50	6 37 17 081 01 8
60	80	50	6 37 17 082 01 1
80	80	50	6 37 17 083 01 5
100	80	50	6 37 17 084 01 3
120	80	50	6 37 17 085 01 7
150	80	50	6 37 17 087 01 4
180	80	50	6 37 17 088 01 2
220	80	50	6 37 17 089 01 6
240	80	50	6 37 17 090 01 8

SANDING SHEETS, ZIRCONIUM
Excellent sanding capacity on extremely hard surfaces such as varnish (e.g. parquet paint) or metal. The sanding sheet for all floor covering work. Extremely sturdy paper quality thanks to extremely tough full bonding with artificial resins and high-quality zirconium corundum coating. Non-perforated, hook and loop fastening.

Grain	Edge length mm	No. in pack pcs	Part number
40	80	35	6 37 17 243 01 0
60	80	35	6 37 17 244 01 0
80	80	35	6 37 17 245 01 0

SUPERSOFT SANDING SHEETS
Special sanding sheets for machining aluminium rims, performing touch-up work on dust inclusions, dealing with paint runs, overspray on wood, plastic, metal, etc. Only to be used in conjunction with the sanding pad 6 35 02 141 22 0. Non-perforated, hook and loop fastening.

Grain	Edge length mm	No. in pack pcs	Part number
240	80	50	6 37 17 126 01 5
320	80	50	6 37 17 127 01 9
400	80	50	6 37 17 128 01 7
500	80	50	6 37 17 179 01 6

STONE SANDING SHEETS
Specially for working with natural and artificial stone. Available up to grit 800 for a perfect surface finish in fine sanding. Non-perforated, hook and loop fastening.

Grain	Edge length mm	No. in pack pcs	Part number
40	80	50	6 37 17 120 01 4
80	80	50	6 37 17 121 01 3
120	80	50	6 37 17 122 01 6
220	80	50	6 37 17 123 01 0
320	80	50	6 37 17 124 01 8
400	80	50	6 37 17 125 01 2
600	80	50	6 37 17 175 01 7
800	80	50	6 37 17 176 01 0

SANDING FINGER
For use in very narrow and deep places, in channels, grooves, openings and folds. Also in mould-making, on concave forms and in convex forms. Plastic carrier plate for preventing damage and marks on the workpiece.
Finger shape, hook and loop fastening.

Mount	No. in pack pcs	Part number
SL	2	6 38 06 159 22 0

SANDING SHEETS FOR SANDING FINGERS
With Velcro rapid attachment, fully bonded with artificial resin, high sanding capacity, corundum. For use on: wood, metal, soldered joints, fibreglass, plastic, paint, filler, leather.
Pack of 20

Grain	No. in pack pcs	Part number
40	20	6 37 17 184 01 2
60	20	6 37 17 185 01 6
80	20	6 37 17 186 01 9
100	20	6 37 17 187 01 3
120	20	6 37 17 188 01 1
150	20	6 37 17 189 01 5
180	20	6 37 17 190 01 7
220	20	6 37 17 191 01 6
240	20	6 37 17 192 01 9

PROFILE GRINDING SET
22-part set for sanding in grooves and on outside radii. Contents: 1 holder with 6 different profile inserts. 1 x V-form for 90° angle, 1 x trapezium form for tongue-and-groove connections, 1 x straight form for profiles, 1 x convex form (large), 1 x concave and 1 x convex form (small) and sanding sheets, 5 each of 80, 120 and 180 grit.

Mount	Part number
SLP	6 38 10 031 01 0

SANDPAPER FOR PROFILE SANDING SET
High sanding capacity, little clogging and long service life guaranteed thanks to corundum abrasive grit and full bonding with artificial resins. For universal use on virtually all materials, non-perforated.

Grain	No. in pack pcs	Part number
80	25	6 37 17 217 01 6
120	25	6 37 17 218 01 4
180	25	6 37 17 219 01 8

SANDING PAD SET, PERFORATED
Standard version for sanding with dust extraction. Plastic carrier plate for preventing damage and marks on the workpiece.
Triangular shape, perforated version, hook and loop fastening.

Edge length mm	Mount	No. in pack pcs	Part number
80	SL	2	6 38 06 136 22 0

SET OF SANDING SHEETS
50 sanding sheets of various grits for the universal use of coarse to fine sanding on virtually all materials. High sanding capacity, little clogging and long service life guaranteed thanks to corundum abrasive grit and full bonding with artificial resins. Content: sanding sheets, 10 each of grit 60, 80, 120, 180, 240, perforated, for use with perforated sanding pad and dust extraction, hook and loop fastening. Better value than buying items separately.

Edge length mm	Part number
80	6 37 17 109 03 5

SANDING SHEETS, PERFORATED
High sanding capacity, little clogging and long service life guaranteed thanks to corundum abrasive grit and full bonding with artificial resins. For universal use on virtually all materials. Perforated, for use with perforated sanding pad and dust extraction, hook and loop fastening.

Grain	Edge length mm	No. in pack pcs	Part number
36	80	5	6 37 17 107 04 9
40	80	5	6 37 17 108 04 7
60	80	5	6 37 17 109 04 1
80	80	5	6 37 17 110 04 3
100	80	5	6 37 17 111 04 2
120	80	5	6 37 17 112 04 5
150	80	5	6 37 17 113 04 9
180	80	5	6 37 17 114 04 7
220	80	5	6 37 17 115 04 1
240	80	5	6 37 17 116 04 4
36	80	50	6 37 17 107 01 1
40	80	50	6 37 17 108 01 9
60	80	50	6 37 17 109 01 3
80	80	50	6 37 17 110 01 5
100	80	50	6 37 17 111 01 4
120	80	50	6 37 17 112 01 7
150	80	50	6 37 17 113 01 1
180	80	50	6 37 17 114 01 9
220	80	50	6 37 17 115 01 3
240	80	50	6 37 17 116 01 6

SANDING SHEETS, ZIRCONIUM
Excellent sanding capacity on extremely hard surfaces such as varnish (e.g. parquet paint) or metal. The sanding sheet for all floor covering work. Extremely sturdy paper quality thanks to extremely tough full bonding with artificial resins and high-quality zirconium corundum coating. Perforated, for use with perforated sanding pad and dust extraction, hook and loop fastening.

Grain	Edge length mm	No. in pack pcs	Part number
40	80	35	6 37 17 236 01 0
60	80	35	6 37 17 237 01 0
80	80	35	6 37 17 238 01 0

The easiest way to find the right accessories for you is to visit www.fein-uk.co.uk/OMTSelector

SANDING SET
For the efficient sanding of edge and corner areas and medium-sized surfaces. The alternative to eccentric or random sanders. No kick-back effect at edges. Easy to use, very good sanding capacity. Plastic carrier plate prevents damage and marks on the workpiece.
Scope of supply: 1 large perforated triangular sanding pad (edge length 130 mm), with perforated sanding sheets, 2 each of grit 60, 80, 180.

Edge length mm	Mount	Part number
130	SLP	6 38 06 204 21 0

SANDING SHEETS, PERFORATED
Compatible with large triangular sanding pad with 130 mm edge length.
High sanding capacity, little clogging and long service life guaranteed thanks to corundum abrasive grit and full bonding with artificial resins. For universal use on virtually all materials. Perforated, for use with perforated sanding pad and dust extraction, hook and loop fastening.

Grain	Edge length mm	No. in pack pcs	Part number
40	130	16	6 37 17 292 02 0
60	130	16	6 37 17 293 02 0
80	130	16	6 37 17 294 02 0
120	130	16	6 37 17 295 02 0
180	130	16	6 37 17 296 02 0
240	130	16	6 37 17 297 02 0

SET OF SANDING SHEETS
16 sanding sheets of various grits for the universal use of coarse to fine sanding on virtually all materials. High sanding capacity, little clogging and long service life guaranteed thanks to corundum abrasive grit and full bonding with artificial resins. Content: sanding sheets for large triangular sanding pad (edge length 130 mm), 4 each of grit 60, 80, 120, 180, perforated, for use with and without dust extraction, hook and loop fastening. Better value than buying items separately.

Edge length mm	Part number
130	3 52 22 952 10 0

SANDING SHEETS, ZIRCONIUM
Compatible with large triangular sanding pad with 130 mm edge length.
Excellent sanding capacity on extremely hard surfaces such as varnish (e.g. parquet paint) or metal. The sanding sheet for all floor covering work. Extremely sturdy paper quality thanks to extremely tough full bonding with artificial resins and high-quality zirconium corundum coating. Perforated, for use with perforated sanding pad and dust extraction, hook and loop fastening.

Grain	Edge length mm	No. in pack pcs	Part number
40	130	12	6 37 17 298 01 0
60	130	12	6 37 17 299 01 0
80	130	12	6 37 17 300 01 0

SANDING SHEET SET, ZIRCONIUM
12 sanding sheets with excellent sanding capacity on extremely hard surfaces such as varnish (e.g. parquet paint) or metal. The sanding sheet for all floor covering work. Extremely sturdy paper quality thanks to extremely tough full bonding with artificial resins and high-quality zirconium corundum coating. Content: sanding sheets for large triangular sanding pad (edge length 130 mm), 4 each of grit 40, 60, 80, perforated, for use with and without dust extraction, hook and loop fastening. Better value than buying items separately.

Edge length mm	Part number
130	3 52 22 952 11 0

SANDING SET
For quickly and cost-effectively sanding medium-sized surfaces. The alternative to eccentric or random sanders.
No kick-back effect at edges. Easy to use, very good sanding capacity. Can be used with or without dust extraction.
Plastic carrier plate for preventing damage and marks on the workpiece.
Round shape, perforated version, hook and loop fastening.
Scope of supply: 1 backing pad diameter 115 mm, with perforated sanding sheets, 2 each of grit 60, 80, 180.

Ø mm	Mount	Part number
115	SLP	6 38 06 195 21 0

SET OF SANDING SHEETS
16 sanding sheets of various grits for the universal use of coarse to fine sanding on virtually all materials. High sanding capacity, little clogging and long service life guaranteed thanks to corundum abrasive grit and full bonding with artificial resins. Content: sanding sheets, 4 each of grit 60, 80, 120, 180, 115 mm diameter, perforated, for use with and without dust extraction, hook and loop fastening. Better value than buying items separately.

Part number
6 37 17 227 01 0

SANDING SHEETS
High sanding capacity, little clogging and long service life guaranteed thanks to corundum abrasive grit and full bonding with artificial resins. For universal use on virtually all materials. 115 mm diameter, perforated, for use with and without dust extraction, hook and loop fastening.

Grain	No. in pack pcs	Part number
40	16	6 37 17 230 02 0
60	16	6 37 17 227 02 0
80	16	6 37 17 228 02 0
120	16	6 37 17 229 01 0
180	16	6 37 17 231 02 0
240	16	6 37 17 232 01 0

SANDING SHEETS, ZIRCONIUM
Excellent sanding capacity on extremely hard surfaces such as varnish (e.g. parquet paint) or metal. The sanding sheet for all floor covering work. Extremely sturdy paper quality thanks to extremely tough full bonding with artificial resins and high-quality zirconium corundum coating. 115 mm diameter, perforated, for use with and without dust extraction, hook and loop fastening.

Grain	No. in pack pcs	Part number
40	12	6 37 17 233 01 0
60	12	6 37 17 234 01 0
80	12	6 37 17 235 01 0

SANDING SHEET SET, ZIRCONIUM
12 sanding sheets with excellent sanding capacity on extremely hard surfaces such as varnish (e.g. parquet paint) or metal. The sanding sheet for all floor covering work. Extremely sturdy paper quality thanks to extremely tough full bonding with artificial resins and high-quality zirconium corundum coating. Content: sanding sheets, 4 each of grit 40, 60, 80, 115 mm diameter, perforated, for use with and without dust extraction, hook and loop fastening. Better value than buying items separately.

Part number
6 37 17 233 02 0

BRISTLE FLEECE
Bristle fleece for cleaning boat decks or cleaning/polishing anti-slip structures.

Edge length mm	No. in pack pcs	Part number
80	2	6 37 23 031 01 0

FELT POLISHING PAD
For polishing up metal parts, and for polishing and decorative polishing of stone and stone products. Can also be used to work with gelcoats on boats. Plastic carrier plate for preventing damage and marks on the workpiece.
Burnishing compounds for the respective material are available from specialist retailers.

Edge length mm	Mount	No. in pack pcs	Part number
80	SL	2	6 38 06 140 22 0

FELT POLISHING PAD
Felt polishing pad for polishing boat decks (gelcoat), chrome, stainless steel, aluminium, copper and copper alloys.

Edge length mm	No. in pack pcs	Part number
80	5	6 37 23 032 01 0

FELT POLISHING PAD
Diameter 115 mm, with hook and loop fastening. Versatile in use, for polishing chrome, stainless steel, polycarbonate materials and gelcoat boat decks, for polishing up scratched paint and removing tempering colours on exhaust systems.

No. in pack pcs	Part number
5	6 37 23 036 01 0

SANDING SHEETS, FOAM BACKING
for removing scratches from paintwork, gelcoat, acrylic and polycarbonate glazing, lacquers, wood with a clear lacquer, furniture etc. For the best surface quality. 115 mm diameter with foam lamination, hook and loop fastening. Perfect as stage prior to polishing with felt polishing pad and FEIN EXTRA polish.

Grain	No. in pack pcs	Part number
500	5	6 37 17 246 01 0
1000	5	6 37 17 247 01 0

POLISHING LIQUID
FEIN polish EXTRA based on aluminium oxide for polishing gelcoat and removing scratches in vehicle paint.

Contents ml	Part number
250	6 37 26 030 01 0

The easiest way to find the right accessories for you is to visit www.fein-uk.co.uk/OMTSelector

DIVIDING AND RASPING AT HIGH SPEED.

Replacing floor coverings or tiles, cleaning joints or filing out small recesses – you can perform challenging jobs like these at speed and with ease using the special FEIN accessories for dividing and rasping.

The highest material quality ensures outstanding service life and perfect results. The oscillating principle minimises dirt and dust.

SPECIAL ACCESSORIES FOR THE TOUGHEST REFURBISHING AND RENOVATION JOBS.

Precise results without overlaps.

At just 1.2 mm wide, the saw blades can cut out even very narrow joints.

Longest service life with diamond tools.

Clean dirty tile joints with minimal effort.

The carbide file for filing out channels, grooves, openings and folds.

The carbide rasp smooths tile adhesive and ensures a level base.

Perfectly put together accessory kits offering attractive savings over buying each item individually can be found on page 46 onwards.

FEIN ACCESSORIES
FOR DIVIDING AND RASPING.

The right segmented saw blade for your requirements.

Segmented saw blades are perfectly suited to cutting out damaged tile joints in corners without overlaps – available in various widths, even for very thin joints.

▸ DIAMOND SAW BLADE

The particularly durable saw blade with a long service life for very hard joint materials, such as extremely waterproof epoxy resin joints in swimming pools.

▸ CARBIDE SAW BLADE

The cost-effective alternative for cutting out marble, epoxy resin and trass joints, for cutting grooves in plaster, porous concrete and similar construction materials.

CUTTING, FILING

CARBIDE SAW BLADE
For cutting out damaged tile joints. Also for cutting slots in plaster, porous concrete and similar building materials and for cleaning and reworking deck joints. Not suited to very hard epoxy resin or cement joints. The cost-effective alternative to diamond tools.
Segmented, ideal for working in corners and on edges without overcutting. Cutting width approx. 2.2 mm.

Ø mm	Mount	No. in pack pcs	Part number
75	SL	1	6 35 02 118 21 0
75	SL	5	6 35 02 118 23 0

Segmented, ideal for working in corners and on edges without overcutting. Cutting width approx. 2.2 mm.

Ø mm	Mount	No. in pack pcs	Part number
90	SLP	1	6 35 02 169 21 0
90	SLP	5	6 35 02 169 23 0

Extra thin version. Cutting width approx. 1.2 mm. Segmented, ideal for working in corners and on edges without overcutting.

Ø mm	Mount	No. in pack pcs	Part number
75	SL	1	6 35 02 125 21 0
75	SL	5	6 35 02 125 23 0

Extra thin version. Cutting width approx. 1.2 mm. Segmented, ideal for working in corners and on edges without overcutting.

Ø mm	Mount	No. in pack pcs	Part number
90	SLP	1	6 35 02 170 21 0
90	SLP	5	6 35 02 170 23 0

CARBIDE SAW BLADE
For cutting out very narrow marble, epoxy resin and trass joints. Not suited to very hard epoxy resin or cement joints. The cost-effective alternative to diamond tools.
Extra thin version. Cutting width approx. 1.2 mm. Segmented, ideal for working in corners and on edges without overcutting.

Mount	No. in pack pcs	Part number
SLM	1	6 39 03 240 21 0
SLM	5	6 39 03 240 23 0

Segmented, ideal for working in corners and on edges without overcutting. Cutting width approx. 2.2 mm.

Mount	No. in pack pcs	Part number
SLM	1	6 39 03 241 21 0
SLM	5	6 39 03 241 23 0

DIAMOND-COATED SAW BLADE
For cutting out marble, epoxy resin and trass joints. Excellent service life. Also suited to very hard epoxy resin or cement joints. The right choice for frequent use and challenging jobs. Extra thin version. Cutting width approx. 1.2 mm. Segmented, ideal for working in corners and on edges without overcutting.

Ø mm	Mount	No. in pack pcs	Part number
75	SL	1	6 35 02 216 21 0
75	SL	5	6 35 02 216 23 0

DIAMOND-COATED SAW BLADE
For cutting out marble, epoxy resin and trass joints. Excellent service life. Also suited to very hard epoxy resin or cement joints. The right choice for frequent use and challenging jobs. Extra thin version. Cutting width approx. 1.2 mm. Segmented, ideal for working in corners and on edges without overcutting.

Ø mm	Mount	No. in pack pcs	Part number
90	SLP	1	6 35 02 217 21 0
90	SLP	5	6 35 02 217 23 0

Segmented, ideal for working in corners and on edges without overcutting. Cutting width approx. 2.2 mm.

Ø mm	Mount	No. in pack pcs	Part number
75	SL	1	6 35 02 114 21 0
75	SL	5	6 35 02 114 23 0

Segmented, ideal for working in corners and on edges without overcutting. Cutting width approx. 2.2 mm.

Ø mm	Mount	No. in pack pcs	Part number
90	SL	1	6 35 02 166 21 0
90	SL	5	6 35 02 166 23 0

Extra thin version. Cutting width approx. 1.2 mm. Segmented, ideal for working in corners and on edges without overcutting.

Mount	No. in pack pcs	Part number
SLM	1	6 39 03 242 21 0
SLM	5	6 39 03 242 23 0

Segmented, ideal for working in corners and on edges without overcutting. Cutting width approx. 2.2 mm.

Mount	No. in pack pcs	Part number
SLM	1	6 39 03 243 21 0
SLM	5	6 39 03 243 23 0

CARBIDE RASP
For rough sanding of fillers, tile adhesive, concrete, stone and wood.
Triangular shape, edge length of 80 mm, perforated, can also be used with dust extraction.

Edge length mm	Mount	Part number
80	SL	6 37 31 001 21 0

CARBIDE RASP
For rough sanding of fillers, tile adhesive, concrete, stone and wood. For use in very narrow and deep places, in channels, grooves, openings and folds. Also in mould-making, on concave forms and in convex forms and for artistic work. Finger shape, coating on both sides.

Mount	Part number
SLP	6 37 31 002 21 0

CARBIDE RASP
For rough sanding of fillers, tile adhesive, concrete, stone and wood. For particularly good cutting speed and efficient machining of several square metres.
Triangular shape, large version, edge length of 110 mm, perforated, can also be used with dust extraction.

Edge length mm	Mount	Part number
110	SLM	6 37 31 006 21 0

TILE JOINT CLEANER
For quickly and cost-effectively cleaning very dirty tile joints. The alternative to a costly, complete renovation. Suitable for all widths of tile joint.

Mount	No. in pack pcs	Part number
SLP	2	6 37 19 011 22 0

CLEANING BLOCK
Rhombus for cleaning the carbide tools and diamond-coated tools.

Part number
6 37 19 007 01 0

CARBIDE FILE
For deburring and filing on CFRP, fibreglass-reinforced plastic, plastics and wood. Especially suitable for cutting out small recesses.

Width mm	Length mm	Mount	Part number
10	30	SL	6 37 06 019 21 0

DIAMOND CLEANING KNIFE
For cleaning mortar flanks before filling them in again. Straight. Width 31 mm, cutting depth 60 mm.

Mount	No. in pack pcs	Part number
SLM	1	6 39 03 237 21 0
SLM	5	6 39 03 237 23 0

STARLOCK TILE WORKING COMBO
3 accessories, especially for renovation and repair jobs in sanitary facilities. When undertaking partial repairs on individual tiles, tile joints can be cut out quickly and cleanly, getting right into the corners and edges without overcutting. Suitable for all FEIN multitools and all other common multitools with Starlock mounting. Available as a set, offering significant savings over purchasing the items individually. Content: 1 E-Cut universal saw blade (55 x 28 mm), 1 carbide rasp (80 mm), 1 carbide segment saw blade (diameter 75 mm, 2.2 mm).

Mount	Part number
SL	3 52 22 967 07 0

STARLOCKMAX HEATING/SANITARY PROFESSIONAL SET
Accessory kit containing 8 parts with extensive range of accessories, especially for key applications in sanitary repairs. Suitable for FEIN multitools with StarlockMax mounting and all other common multitools with StarlockMax mounting. Available as a set, offering significant savings over purchasing the items individually. Content: 2 E-Cut universal saw blades (60 x 28 mm, 60 x 44 mm), 1 cutter blade (mushroom-shaped), 1 rigid stopper knife, carbide rasp (1 each of 80 mm, 110 mm), 1 carbide segment saw blade (diameter 90 x 2.2 mm), 1 carbide saw blade (2.2 mm).

Mount	Part number
SLM	3 52 22 967 14 0

The easiest way to find the right accessories for you is to visit www.fein-uk.co.uk/OMTSelector

THE MOST EFFICIENT CUTTING AND SCRAPING.

Adhesive residue, old floor coverings, coatings such as underseal, soft putty or elastic joint material – all this and more can be easily removed with the MULTIMASTER FEIN accessories for cutting and scraping.

UNIQUE ACCESSORIES FOR UNIVERSAL USE OR SPECIAL APPLICATIONS.

For cutting carpet, PVC floors, cardboard, bitumen roof tiles and roofing fabric. With three cutting surfaces.

Use the rigid stopper knife to quickly and easily remove carpets or adhesive residue in their entirety.

Reduce the time taken to replace teak decks by up to 80% with the cutter blade.

Elastic sealants can be removed perfectly before filling in again.

Perfectly put together accessory kits offering attractive savings over buying each item individually can be found on page 46 onwards.

CUTTING, SCRAPING

MULTI-FUNCTION KNIFE
For cutting carpet, PVC floors, cardboard, bitumen shingles and roofing fabric. With three cutting surfaces.

Mount	No. in pack pcs	Part number
SL	1	6 39 03 251 21 0
SL	5	6 39 03 251 23 0

FLEXIBLE SCRAPER BLADE
Short version. For removing silicone or acrylic joints in bathrooms and removing stickers.

Mount	Part number
SL	6 39 03 165 21 0

FIXED SCRAPER BLADE
Short version. For removing stubborn old paint, adhesive residues, carpets, tile adhesives and coats of underseal.

Mount	Part number
SL	6 39 03 226 21 0

FIXED SCRAPER BLADE
Long version. For removing stubborn old paint, adhesive residues, carpets, tile adhesives and coats of underseal.

Mount	Part number
SLP	6 39 03 234 21 0

CUTTING BLADE
Mushroom-shaped, for cutting silicone and soft putty material and for separating insulation glass units.

Mount	No. in pack pcs	Part number
SL	5	6 39 03 245 23 0

CUTTING BLADE
For cutting away panelled deck sealant materials quickly and safely. Also ideal for difficult areas such as cabins, rails, gunwales, cleats, and curves.

Blade width mm	Mount	Part number
3	SLP	6 39 03 200 21 0
4	SLP	6 39 03 201 21 0
5	SLP	6 39 03 202 21 0

CUTTING BLADE
Universal blade for virtually all expansion joints. Straight. Width 30 mm, cutting depth 60 mm.

Mount	No. in pack pcs	Part number
SLM	5	6 39 03 236 23 0

CUTTING BLADE
Straight, long shape, for deep joints.

Cutting depth mm	Mount	No. in pack pcs	Part number
65	SLM	5	6 39 03 239 23 0

CUTTING BLADE
Straight, very long shape, for very deep joints.

Cutting depth mm	Mount	No. in pack pcs	Part number
69	SLM	1	6 39 03 238 21 0

STARLOCKMAX GROUT RENEWAL PROFESSIONAL SET
Set of 7 blades for professional renovation of expansion joints down to a depth of 69 mm. Suitable for FEIN multitools with StarlockMax mounting and all other common multitools with StarlockMax mounting. Available as a set, offering significant savings over purchasing the items individually. Content: 1 cutter blade, straight (65 mm), 1 cutter blade, straight, very long shape (69 mm), 5 universal cutter blades, straight (60 x 30 mm).

Mount	Part number
SLM	3 52 22 967 13 0

The easiest way to find the right accessories for you is to visit www.fein-uk.co.uk/OMTSelector

CONTAINS EVERYTHING FOR YOUR APPLICATIONS.

Our 14 FEIN accessory kits contain just the accessories you need for your particular applications and requirements.

FEIN BENEFITS

+ **Perfect combinations:** Every single kit is based on the experiences and feedback of our customers.

+ **Simple choice:** When you opt for a kit, you can be sure that everything has been thought about.

+ **Attractive savings:** You always benefit from attractive savings compared with buying the items individually.

THREE VARIANTS – YOU DECIDE.

COMBO SETS

Whether you are working with wood, metal, floor coverings, tiled surfaces or small recesses – each of the Combo sets contains the 3 most important accessories from the Starlock performance class for your application, which makes it easy for you to select the right set.

BEST OF SETS

These sets contain our most popular and best accessories from the Starlock, StarlockPlus and StarlockMax performance classes for sawing in wood and metal. There is also a special set for metal-workers and fitters and one for sanding.

PROFESSIONAL SETS

Are you a professional working in interior work, heating/sanitation or grout renewal? Then the professional sets have just the accessories from the StarlockMax performance class you need for your challenging work.

FEIN
ACCESSORY KITS

Select the Starlock accessories to suit your tool:

▶ STARLOCK

Suitable for all FEIN multitools and all other common multitools with Starlock mounting.

▶ STARLOCK PLUS

Suitable for all FEIN multitools and all other common multitools with StarlockPlus and StarlockMax mounting.

▶ STARLOCK MAX

Suitable for FEIN multitools with StarlockMax mounting and all other common multitools with StarlockMax mounting.

COMBO SETS

SET	STARLOCK WOOD E-CUT COMBO	STARLOCK WOOD & METAL E-CUT COMBO	STARLOCK RENOVATION COMBO
SCOPE OF SUPPLY	3 E-Cut plunge-cut saw blades for precise sawing in wooden materials.	3 E-Cut plunge-cut saw blades for sawing in wood and metal.	3 accessories, especially for renovation work on flooring.
ORDER NO.:	**3 52 22 967 08 0**	**3 52 22 967 10 0**	**3 52 22 967 11 0**

SET	STARLOCK TILE WORKING COMBO	STARLOCK MINI CUT COMBO
SCOPE OF SUPPLY	3 accessories, especially for repair work on tiled surfaces. Suitable for all FEIN multitools and all other common multitools.	3 accessories, ideal for cutting smaller recesses and working in tight spots, e.g. for numerous installation jobs, switch installation, model-building and more.
ORDER NO.:	**3 52 22 967 07 0**	**3 52 22 967 09 0**

BEST OF SETS

SET	BEST OF E-CUT STARLOCK WOOD & METAL	BEST OF STARLOCK METAL	BEST OF STARLOCK RENOVATION
SCOPE OF SUPPLY	6 E-Cut plunge-cut saw blades for sawing in wood and metal.	6 saw blades, especially for machining hardened and non-hardened metals.	Accessory kit containing 26 parts for universal renovation work.
ORDER NO.:	**3 52 22 967 01 0**	**3 52 22 967 02 0**	**3 52 22 967 06 0**

SET	BEST OF STARLOCK SANDING	BEST OF E-CUT STARLOCKPLUS WOOD & METAL	BEST OF E-CUT STARLOCKMAX WOOD & METAL
SCOPE OF SUPPLY	Accessory kit containing 63 parts for sanding in corners and on edges.	6 E-Cut plunge-cut saw blades for sawing in wood and metal.	6 extra long E-Cut plunge-cut saw blades for large plunge depths and effective working in wood.
ORDER NO.:	**3 52 22 967 04 0**	**3 52 22 967 03 0**	**3 52 22 967 05 0**

PROFESSIONAL SETS

SET	STARLOCKMAX INTERIOR WORK PROFESSIONAL SET	STARLOCKMAX GROUT RENEWAL PROFESSIONAL SET	STARLOCKMAX HEATING/SANITARY PROFESSIONAL SET
SCOPE OF SUPPLY	Accessory kit containing 45 parts with extensive range of saw blades for fast, precise sawing in all kinds of installation work.	Set of 7 blades for professional renovation of expansion joints down to a depth of 90 mm.	Accessory kit containing 8 parts with extensive range of accessories, especially for key applications in sanitary repairs.
ORDER NO.:	**3 52 22 967 12 0**	**3 52 22 967 13 0**	**3 52 22 967 14 0**

ADDITIONAL FEIN ACCESSORIES

Do you want to use your MULTIMASTER as a stationary tool? Have you got an older model and want to enjoy the benefits of Starlock accessories? You will find the right solutions here.

SET	**TABLE AND DRILL JIG HOLDER**	**ADAPTER FOR FEIN SUPER-CUT WITHOUT QUICKIN**	**ADAPTER FOR FEIN SUPER-CUT WITH QUICKIN**	**WORK GLOVES**
BRIEF DESCRIPTION	Perfect for precision cut-outs: The power tool can be clamped to a table or workbench and the workpiece can be guided safely to the tool. It is also possible to clamp the tool in commercially available drill jigs with a 43 mm collar diameter – the tool can be delivered via the mechanism with millimetre precision.	To mount Starlock accessories on older FEIN SuperCut units without QuickIN tool mounting (FSC 1.6, FSC 1.7). Adapter plus clamping screw.	To mount Starlock accessories on older FEIN SuperCut units with QuickIN tool mounting (FSC 1.6 Q, FSC 1.7 Q, FSC 2.0 Q, AFSC 1.7 Q and AFSC 18). Adapter plus clamping screw.	Vibration-absorbing, certified in accordance with EN 388/420, EN ISO 10819, EEC No. 0200, no. in pack, 1 pair
ORDER NO.:	**9 26 02 083 01 0**	**3 52 22 952 04 0**	**3 52 22 952 05 0**	**3 21 73 003 00 3** (size 9 L) **3 21 73 004 00 1** (size 10 XL) **3 21 73 005 00 5** (size 11 XXL)

THE PERFECT EQUIPMENT FOR STATIONARY WORKSHOP USE.

Simply clamp in the tool on the table or workbench for perfect precision cut-outs.

Can be combined with drill jigs for millimetre precision.

CHARGE FASTER AND **POWER FOR LONGER.**

Add the right FEIN rapid charger and powerful Li-ion batteries (3 Ah or 6 Ah) to your cordless MULTIMASTER. Each of the attractive battery starter sets contains one ALG 80 rapid charger and two batteries – for complete power without any interruptions.

VARIANT	18 V / 3 AH BATTERY STARTER SET	18 V / 6 AH BATTERY STARTER SET	12 V / 3 AH BATTERY STARTER SET	12 V / 6 AH BATTERY STARTER SET
BRIEF DESCRIPTION	2 x Li-ion batteries with ALG 80 rapid charger. Short charge times thanks to the high charge current of 8 A and process-controlled charge management. Large LED display with charge indicator and USB port for mobile charging of small electronic devices, such as smartphones or tablets.		2 x Li-ion batteries with ALG 80 rapid charger. Short charge times thanks to the high charge current of 8 A and process-controlled charge management. Large LED display with charge indicator and USB port for mobile charging of small electronic devices, such as smartphones or tablets.	
CHARGE TIMES	80% of max. capacity: 18 V / 3 Ah: 31 min.	80% of max. capacity: 18 V / 6 Ah: 38 min.	80% of max. capacity: 12 V / 3 Ah: 31 min.	80% of max. capacity: 12 V / 6 Ah: 38 min.
ORDER NO.:	**9 26 04 315 01 0**	**9 26 04 314 01 0**	**9 26 04 326 01 0**	**9 26 04 327 01 0**

VARIANT	18 V / 3 AH BATTERY PACK	18 V / 6 AH BATTERY PACK	12 V / 3 AH BATTERY PACK	12 V / 6 AH BATTERY PACK	ALG 80 RAPID CHARGER
BRIEF DESCRIPTION	Li-ion battery with charge status indicator and FEIN SafetyCell technology. Protects the battery and tool from overload, overheating and total discharge. Can be used with all FEIN 18 V cordless tools.		Li-ion battery with charge status indicator and FEIN SafetyCell technology. Protects the battery and tool from overload, overheating and total discharge. Can be used with all FEIN 12 V cordless tools and 18 V cordless tools with MultiVolt interface.		Short charge times thanks to the high charge current of 8 A and process-controlled charge management. Large LED display with charge indicator and USB port for mobile charging of small electronic devices, such as smartphones or tablets. For all FEIN Li-ion batteries.
CHARGE TIMES	80% of max. capacity: 18 V / 3 Ah: 31 min.	80% of max. capacity: 18 V / 6 Ah: 38 min.	80% of max. capacity: 12 V / 3 Ah: 31 min.	80% of max. capacity: 12 V / 6 Ah: 38 min.	80% of max. capacity: 12 and 18 V / 3 Ah: 31 min. 12 and 18 V / 6 Ah: 38 min. 18 V / 5.2 Ah: 33 min.
ORDER NO.:	**9 26 04 182 02 0**	**9 26 04 175 02 0**	**9 26 04 183 02 0**	**9 26 04 184 02 0**	**9 26 04 180 01 0**

To learn more about the benefits and options available with the FEIN cordless world, go to page 50.

THE FEIN CORDLESS WORLD **FOR PROFESSIONALS.**

There are lots of cordless platforms. But only one which supplies the power for FEIN tools. Welcome to the FEIN cordless world.

It's packed full of robust technology with one major objective: to make the lives of our customers and users as simple and productive as possible. And to do this in the long-term. Enter this world today and be impressed for ever.

GREAT FLEXIBILITY THANKS TO MULTIVOLT INTERFACE

18 V tools with MultiVolt can be operated with all FEIN 12 to 18 V batteries.*

POWERFUL AND LIGHT WEIGHT – HIGHPOWER BATTERIES

With 75% more output for consistently good work progress and a lower weight than that of comparable batteries.

SAFETYCELL TECHNOLOGY DELIVERS LONG SERVICE LIFE

This protects tool and battery from overload, overheating and total discharge.

CLEVERLY COMBINED WITH SELECT

Flexibly combine tool, batteries and charger to meet your needs. With Select tools (not including batteries and charger), just buy what you need.

RAPID CHARGING WITH THE ALG 80

Rapid charger with high charge current of 8 A. Large LED display with charge indicator and USB port.

FIRST CLASS

+ Long-life, powerful and precise tools of FEIN quality make any work with metal easier, more efficient and safer.

+ Whether grinding, screwdriving, drilling, core drilling, dividing, cutting or oscillating – FEIN offers the right cordless solution for every application.

+ Thanks to the combination of brushless FEIN PowerDrive motors and batteries with SafetyCell Technology, even the toughest applications can be carried out with a cordless tool.

+ 3-year FEIN PLUS warranty for tool, battery and charger – provided you register online.

* With the exception of 12 V (6 Ah) for ABSS 18 1.6 E, ABLK 18 1.3 CSE, ABLK 18 1.6 E and ABLS 18 1.6 E.

LOTS OF SPECIALISTS, **ONE CORDLESS SYSTEM.**

Alongside the MULTIMASTER, FEIN offers an extensive range of tools for your particular interior work, installation and renovation work – in both mains-powered and cordless versions.

By choosing a cordless MULTIMASTER you have access to all the benefits and options available with the FEIN cordless world.

CORDLESS DRILL/DRIVERS & CORDLESS HAMMER DRILL/DRIVERS

4-speed ASCM 18 QM cordless drill/driver
The optimal cutting speed for every hole diameter. 4 speed settings offer the correct speed for the hole diameter and material every time.

4-speed ASCM 18 QSW cordless drill/driver
The perfect combination of performance and ergonomics. With a wide speed range, compact size and low weight, it ensures precise results in all situations.

2-speed cordless ABS / ASB 18 (impact) drill/driver
Extremely powerful and perfectly suited to drilling and tapping up to 10 mm in metal, stone and masonry.

CORDLESS IMPACT WRENCH/DRIVER

ASCD 18 cordless impact wrench/driver
Depending on the screw size, the torque can be adjusted in 6 levels to the desired tightening torque. Tightening and loosening screws up to M18 with 290 Nm of torque.

FEIN BENEFITS

+ **Simple and flexible:** The FEIN cordless accessories are fully compatible with all FEIN cordless tools.

+ **Even more freedom:** Most 18 V products – such as the MULTIMASTER 700 – come with the FEIN MultiVolt interface and can be operated with 12 V batteries.

+ **Powerful and efficient:** The combination of the brushless FEIN PowerDrive motor, FEIN Li-ion batteries, gearbox and electronics ensure virtually the same power as the mains-powered version.

+ **Long service life:** The FEIN SafetyCell technology protects the tool and battery from overload, overheating and total discharge.

CORDLESS DRYWALL SCREW GUN

ASCT 18 cordless drywall screw gun
The specialist tool for drywall and interior applications. Light, ergonomic, rapid for precise screw connection results. With or without collated strip magazine.

CORDLESS ROTARY HAMMER DRILL

ABH 18 cordless rotary hammer drill
The drill makes light work of drilling diameters of up to 20 mm in concrete. Compact dimensions, low vibration levels and two forms of safety switch-off ensure fatigue-free and safe working.

CORDLESS COMPACT ANGLE GRINDERS

CCG 18 cordless angle grinder
The FEIN brushless PowerDrive motor is durable and powerful. The fully encapsulated motor housing protects the motor from dirt – without any further dust protection measures.

YOU CAN RELY ON FEIN SERVICE.



With FEIN you’re in good hands after making your purchase. We have designed our power tools for maximum loading and overload – even when used continuously. Should you ever need our help, we provide speedy, professional and dedicated assistance. That's something you can rely on.

3-YEAR FEIN PLUS WARRANTY

Quick registration – extended warranty period: We offer the 3-year FEIN PLUS warranty for all your FEIN power tools. All you need to do is register your new FEIN product at **www.fein.com/warranty** within 3 months of purchase. Here you will find which countries are covered and further information.

FEIN REPAIR SERVICE

No matter whether you contact us regarding repairs, maintenance or warranty claims – we process your orders quickly and efficiently through our FEIN authorised repair centres. They hold the right genuine FEIN spare parts in stock – even for many older tools. So you can get back to work as soon as possible.

FEIN SPARE PART CATALOGUE

You can easily find the right FEIN spare parts for your FEIN power tool online – using the FEIN spare part catalogue with intuitive search function and exploded views of the products.

ALL FEIN SERVICES ONLINE

On the FEIN website, go to "Service" for lots more information and service offerings:

+ Operating instructions and brochures available to download
+ FAQ
+ Maintenance information

The FEIN website also contains details of services available local to you.

Your specialist dealer will be happy to help:

Legal notice:
C. & E. Fein GmbH (Ulm District Court, Trade and Commercial Register number 702155), Hans-Fein-Strasse 81, 73529 Schwäbisch Gmünd-Bargau, Germany
Managing directors: Dr. Michael Fischer, Janek Jaspaert

UK: FEIN Industrial Power Tools UK Ltd., Phone 01327 308730, www.fein-uk.co.uk
AU: Tooltechnic Systems (AUST) Pty Ltd, Phone 1300 063 900, www.fein.com.au
IN: FEIN Power Tools India Pvt. Ltd., Phone 422 2655655 / 755, www.fein.in
AE: FEIN Middle East, Phone 04 8861168, https://fein.com/en_me/

Printed in Germany. No liability accepted for this information or illustrations. Subject to change and errors. 1 88 31 985 38 0 06.20 EN-INT

FEIN.COM

FEIN